

**ROCKLANDS COPPER PROJECT (CDU 100%)**

**WILGAR UPDATE**

**DRILLING CONFIRMS CONTINUITY OF HIGH-GRADE MINERALISATION  
AT WILGAR - RECENT RESULTS INCLUDE;**

**Diamond Drill Hole DODH288 (ended in mineralisation) intersects;**

**27m @ 7.01g/t AuEq**

(from 0-27m - hole ended in mineralisation at 50.6m, not reported in the above)

**Diamond Drill Hole DODH285 intersects;**

**44m @ 5.11g/t AuEq**

(from 0-44m)

**Diamond Drill Hole DODH290 intersects;**

**31m @ 6.21g/t AuEq**

(from 0-31m)

**Diamond Drill Hole DODH280 intersects;**

**25m @ 4.97g/t AuEq**

(from 3-28m)




Figure 1: Three dimensional view of Wilgar drill hole intercepts (bedrock, RC and diamond), with mineralised intervals represented as 2m x 2m x1m blocks...silver (Ag) and gold (Au) shown. Three dimensional models are generated for the main elements of interest at Wilgar, for important lithological and geological units, zones of important alteration and for defining the locations of any identified structures. The models help drive the exploration programme and are particularly helpful with geological interpretation and subsequent planning of drill holes.

## Drilling Confirms Continuity of High-grade Mineralisation at the Wilgar Prospect

After geological interpretation of previously drilled diamond drill holes at Wilgar and closer investigation of intersections from the high-grade bonanza zone, which included cyanide leach results up to;

**DODH240**  
**2m @ 224g/t Au**  
 (from 9-11m)

**DODH223**  
**1m @ 655g/t Au**  
 (from 16-17m)

**DODH248**  
**1m @ 530g/t Au**  
 (from 5-6m)

A series of short vertical holes, at varying distances across and along the interpreted strike direction of Wilgar mineralisation, is currently being drilled to test below the extent of identified surface mineralisation.

Drilling is targeting potential repeats of the high-grade bonanza gold zone, whilst incrementally extending the mineralised footprint of the wider Wilgar polymetallic mineralised zone, which includes gold (Au), silver (Ag), tellurium (Te), molybdenum (Mo) and uranium (U).

Geological logging, preliminary hand-held XRF analysis, and initial assay results received from this new programme, are confirming mineralisation extends from surface to at least 45m in places.

The first of a series of results expected over the coming weeks have recently been received, and are shown on page 3 of this report.

With numerous drill results expected over the coming weeks, regular updates will be released that compile multiple holes, however material results will be released as they come to hand.

Yours faithfully



Wayne McCrae  
Chairman




Figure 2: Hole Location Plan showing silver (Ag) results - bedrock holes (grade colour scale shown top left), diamond drill holes (light blue), and new results notated. See Hole Location Table page 5.



Figure 3: visible gold and possible gold-tellurides in diamond drill hole DODH240 which assayed 348g/t Au at approximately 11m).



Figure 4: visible gold in diamond drill hole DODH223, which assayed 655g/t Au at 17m.

<b>DODH288</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>27m @</b>	<b>7.01</b>	2.58	124	110	48.8	217	<b>0m</b>	<b>- 27m</b>
<i>including</i>		<b>8m @</b>	<b>16.5</b>	6.20	290	236	61.9	686	<b>7m</b>	<b>- 15m</b>

<b>DODH278</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>29m @</b>	<b>1.38</b>	0.15	22.9	8.31	191	9.72	<b>0m</b>	<b>- 29m</b>

<b>DODH280</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>25m @</b>	<b>4.97</b>	2.36	54.6	69.9	230	2.88	<b>3m</b>	<b>- 28m</b>
<i>including</i>		<b>5m @</b>	<b>5.26</b>	1.93	71.9	166	78.3	1.40	<b>5m</b>	<b>- 10m</b>
<i>and</i>		<b>2m @</b>	<b>31.3</b>	22.2	245	320	137	32.5	<b>21m</b>	<b>- 23m</b>

<b>DODH281</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>18m @</b>	<b>3.76</b>	1.33	62.2	83.3	26.6	103	<b>0m</b>	<b>- 18m</b>

<b>DODH285</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>44m @</b>	<b>5.11</b>	1.58	105.9	58.1	56.0	184	<b>0m</b>	<b>- 44m</b>
<i>including</i>		<b>14m @</b>	<b>11.5</b>	3.79	238	145	82.9	208	<b>4m</b>	<b>- 18m</b>

<b>DODH290</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>31m @</b>	<b>6.21</b>	2.39	98.5	74.0	43.0	449	<b>0m</b>	<b>- 31m</b>
<i>including</i>		<b>9m @</b>	<b>6.87</b>	4.00	82.6	82.1	36.2	15.2	<b>0m</b>	<b>- 9m</b>
<i>and</i>		<b>4m @</b>	<b>19.1</b>	6.91	386	247	128	147	<b>16m</b>	<b>- 20m</b>

<b>DODH301</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>23m @</b>	<b>4.69</b>	2.15	71.4	88.7	19.9	7.00	<b>0m</b>	<b>- 23m</b>
<i>including</i>		<b>3m @</b>	<b>20.0</b>	13.1	141	396	70.8	21.7	<b>5m</b>	<b>- 8m</b>

<b>DODH302</b>		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	<b>36m @</b>	<b>3.00</b>	1.18	53.2	56.8	30.3	32.4	<b>0m</b>	<b>- 36m</b>
<i>including</i>		<b>6m @</b>	<b>6.29</b>	2.00	102	179	39.7	160	<b>8m</b>	<b>- 14m</b>
<i>and</i>		<b>2m @</b>	<b>12.0</b>	9.28	79.9	87.6	12.7	0	<b>29m</b>	<b>- 31m</b>

cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste



Figure 5: DODH280 from 18.6 - 25m, showing altered and mineralised drill core.

## **Competent Person Statement**

The information in this report that relates to Exploration Results is based on information compiled by Mr Andrew Day. Mr Day is employed by GeoDay Pty Ltd, an entity engaged, by CuDeco Ltd to provide independent consulting services. Mr Day has a BAppSc (Hons) in geology and he is a Member of the Australasian Institute of Mining and Metallurgy (Member #303598). Mr Day has sufficient experience which is relevant to the style of mineralization and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ores Reserves". Mr Day consent to the inclusion in this report of the information in the form and context in which it appears.

The information in this report insofar as it relates to Metallurgical Test Results and Recoveries, is based on information compiled by Mr Peter Hutchison, MRACI Ch Chem, MAusIMM, a full-time executive director of CuDeco Ltd. Mr Hutchison has sufficient experience in hydrometallurgical and metallurgical techniques which is relevant to the results under consideration and to the activity which he is undertaking to qualify as a competent person for the purposes of this report. Mr Hutchison consents to the inclusion in this report of the information, in the form and context in which it appears.

### **Wilgar style mineralisation**

Polymetallic and rare element hosting prospect, which includes mineralisation of Au, Mo, Ag, Te, Se, ±U. The high-grade gold, silver and tellurium may be present as tellurides and mineralisation may be related to an IRGS (Intrusion-Related Gold System).

### **Notes on Assay Results**

All analyses are carried out at internationally recognized, independent, assay laboratories. Quality Assurance (QA) for the analyses is provided by continual analysis of known standards, blanks and duplicate samples as well as the internal QA procedures of the respective independent laboratories.

Wilgar drill intersections reported have been calculated on the basis of a gold cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste.

Reported intersections are down-hole widths. Weighted averages are reported in drill holes with more than one intercept of mineralization.

Au = Gold  
Ag = Silver  
Te = Tellurium  
Mo = Molybdenum  
Pb = Lead  
Cu = Copper  
Co = Cobalt  
U = Uranium  
Se = Selenium  
Zn = Zinc

### **Gold (Au) Equivalent Calculation**

The formula is based on metal prices of:

Gold	\$1200.00 USD/ounce
Silver	\$30.00 USD/ounce
Tellurium	\$300.00 USD/kg
Uranium	\$45.00 USD/lb
Molybdenum	\$25.00 USD/lb

If the absence of metallurgical test work on this new style of mineralisation a recover or 100% has been used in the Gold Equivalent Calculations.

### Bedrock Drilling

Bedrock drilling at Rocklands is completed with the Company's own Ingersoll Rand, LM500C Rotary Air Blast (RAB), Hydraulic Crawler Drill, which drills vertical holes from the surface down until hard bedrock is reached. When reached, the drill continues for another metre before stopping. Samples are taken down hole in 1 metre intervals from surface, including the last metre which is typically hard bedrock. A six metre hole typically provides 5m of softer, decomposed surface material (colluvium, alluvium, regolith or just plain soil), and one metre (the last metre), of fresh bedrock. The depth of the softer cover material at Rocklands generally varies from 2 to 14 metres in thickness.








### Hole Location Table:

Hole ID	Easting	Northing	RL (m)	Azi (°)	Dip (°)	Hole Depth (m)
DODH223	432244.6	7715697.8	238.5	000	-90	110.1
DODH240	432257.6	7715695.9	240.4	000	-90	38.6
DODH248	432260.0	7715697.2	240.5	000	-90	41.6
DODH278	432265.2	7715684.9	237.6	000	-90	47.4
DODH280	432262.3	7715684.6	236.2	000	-90	53.4
DODH281	432288.7	7715684.2	237.4	000	-90	50.5
DODH285	432280.6	7715684.4	237.4	000	-90	50.5
DODH288	432274.8	7715684.7	237.4	000	-90	111.9*
DODH290	432283.2	7715681.8	237.4	000	-90	50.5
DODH301	432271.6	7715681.1	237.5	000	-90	50.6
DODH302	432272.1	7715683.1	237.5	000	-90	50.6

Datum: AGD66 Project: UTM54 surveyed with Differential GPS (1 decimal place, 10cm accuracy) and/or handheld GPS (no decimal places, 4m accuracy).

\* diamond tail added from 50.6m - assays not yet available

### Colour Ranges for Gold Equivalent (AuEq) values, used in the following Assay Results Tables;

AuEq	From	To
	0	<0.5
	0.5	<1
	1	<2
	2	<5
	5	<10
	10	<15
	15+	

Note: 1ppm = 1g/t

### Assay Results Legend

- "nn"	Negatives values indicated result below lower detection limit ("nn"= lower detection limit)
LNR	Lab Not Receive (ie, sample not received at Assay Lab)
I/S	Insufficient Sample available to obtain result
DIP	sample Destroyed In Preparation
X	result below detection
-	sample not assayed

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH288	0	1	0.24	20	39.8	26.8	7	1.14
DODH288	1	2	0.08	36.5	9	38.8	14	1.20
DODH288	2	3	0.04	33.2	13.6	21.2	-5	1.04
DODH288	3	4	0.03	23.1	12	44.5	-5	0.84
DODH288	4	5	0.03	19	2	24.8	-5	0.60
DODH288	5	6	1.62	60.8	70.5	21	-5	3.75
DODH288	6	7	6.58	83.1	70.5	42.4	7	9.34
DODH288	7	8	32.7	81	161	27.3	5	36.07
DODH288	8	9	5.83	43.1	91	80.7	6	7.87
DODH288	9	10	1.03	38.1	20	33.5	-5	2.24
DODH288	10	11	2.11	160	115	72.7	20	7.25
DODH288	11	12	0.53	26.2	9.1	27.2	9	1.35
DODH288	12	13	0.08	13.1	2	22.5	-5	0.49
DODH288	13	14	3.41	700	496	86.1	1840	27.66
DODH288	14	15	3.96	1260	996	145	3620	48.82
DODH288	15	16	1.08	139	294	51.4	77	7.11
DODH288	16	17	0.53	55	50.8	32.5	30	2.44
DODH288	17	18	0.56	59.5	52	54.5	70	2.72
DODH288	18	19	0.05	4.9	2.9	20.7	11	0.27
DODH288	19	20	2.5	113	168	189	67	7.30
DODH288	20	21	0.07	6.1	4.7	46.3	-5	0.40
DODH288	21	22	0.09	10.1	6	75.6	-5	0.62
DODH288	22	23	0.25	31.3	21.2	20.7	-5	1.26
DODH288	23	24	3.91	141	171	37	17	8.90
DODH288	24	25	1.7	119	52.1	15.9	35	5.18
DODH288	25	26	0.72	68.2	37.4	37.3	18	2.85
DODH288	26	27	0.03	16.4	3.2	23.2	-5	0.54
DODH288	27	28	0.04	4.7	2.9	46.3	-5	0.32
DODH288	28	29	0.03	2.7	1.1	14.9	53	0.23
DODH288	29	30	0.08	1.5	1	6.83	25	0.18
DODH288	30	31	0.15	2.2	1.6	5.13	-5	0.23
DODH288	31	32	0.04	1.8	1	5.5	29	0.15
DODH288	32	33	0.38	24.2	20.1	56.3	916	2.62
DODH288	33	34	0.01	-0.5	0.2	9.45	-5	0.04
DODH288	34	35	-0.01	-0.5	0.1	6.39	-5	0.02
DODH288	35	36	-0.01	-0.5	-0.1	8	-5	0.02
DODH288	36	37	-0.01	0.5	0.3	6.48	8	0.05
DODH288	37	38	-0.01	-0.5	-0.1	5.26	-5	0.02
DODH288	38	39	-0.01	-0.5	-0.1	3.85	-5	0.01
DODH288	39	40	-0.01	-0.5	-0.1	3.01	-5	0.01
DODH288	40	41	-0.01	-0.5	-0.1	3.68	-5	0.01
DODH288	41	42	0.01	-0.5	-0.1	5.18	-5	0.03
DODH288	42	43	0.01	-0.5	0.2	4.81	-5	0.03
DODH288	43	44	0.01	-0.5	-0.1	1.88	-5	0.02
DODH288	44	45	-0.01	4.1	2.1	2.39	-5	0.13
DODH288	45	46	-0.01	1.2	0.6	2.62	-5	0.04
DODH288	46	47	0.02	5.9	1.3	3.96	-5	0.19
DODH288	47	48	0.06	4.4	2	21.9	-5	0.25
DODH288	48	49	0.06	4.9	2.4	7.3	-5	0.22
DODH288	49	50	0.06	12.5	4.7	26.3	-5	0.49
DODH288	50	50.6	0.55	31.5	16.9	30.5	-5	1.56

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH278	0	1	0.31	24.6	16.5	15.7	-5	1.10
DODH278	1	2	0.17	53.2	11.5	11.4	-5	1.62
DODH278	2	3	0.15	53.5	7.2	20.9	-5	1.61
DODH278	3	4	0.29	57.5	34.8	84.8	-5	2.26
DODH278	4	5	0.09	24.8	4.5	19.3	-5	0.80
DODH278	5	6	0.74	30.3	26.2	14.3	241	2.09
DODH278	6	7	0.12	26.1	8.9	38.3	10	0.97
DODH278	7	8	0.55	55.8	62.3	123	-5	2.80
DODH278	8	9	0.06	57.5	4.9	97	-5	1.83
DODH278	9	10	0.04	45.1	2.8	123	-5	1.56
DODH278	10	11	0.06	61.6	12.2	378	31	2.89
DODH278	11	12	0.02	35.1	1.3	59.7	-5	1.09
DODH278	12	13	0.05	38	5	30.5	-5	1.13
DODH278	13	14	0.02	13	0.8	62.4	-5	0.54
DODH278	14	15	0.04	5.1	2.2	77.6	-5	0.42
DODH278	15	16	0.04	13.9	2.7	70.2	-5	0.62
DODH278	16	17	0.04	12.6	6.5	39	-5	0.52
DODH278	17	18	0.03	1.8	0.9	50.6	-5	0.24
DODH278	18	19	0.02	1.5	0.9	33	-5	0.16
DODH278	19	20	0.04	2	1.3	370	-5	1.22
DODH278	20	21	0.04	2.3	1.2	209	-5	0.74
DODH278	21	22	0.11	4.8	2.6	66.3	-5	0.45
DODH278	22	23	0.15	6.3	3.7	73.5	-5	0.56
DODH278	23	24	0.08	3.8	1.9	62.5	-5	0.38
DODH278	24	25	0.05	1.9	1	683	-5	2.18
DODH278	25	26	0.13	5.8	3.6	1220	-5	4.00
DODH278	26	27	0.38	7.9	5.2	960	-5	3.53
DODH278	27	28	0.09	4.2	1.6	196	-5	0.80
DODH278	28	29	0.4	14.4	6.7	340	-5	1.84
DODH278	29	30	0.03	-0.5	0.2	81.9	-5	0.28
DODH278	30	31	0.02	1	0.3	7.77	-5	0.07
DODH278	31	32	0.1	1.3	0.7	74	-5	0.36
DODH278	32	33	0.02	-0.5	-0.1	4.71	-5	0.03
DODH278	33	34	0.02	-0.5	0.1	4.16	-5	0.03
DODH278	34	35	0.01	0.8	-0.1	2.63	-5	0.04
DODH278	35	36	-0.01	-0.5	-0.1	2.47	-5	0.01
DODH278	36	37	-0.01	-0.5	-0.1	1.86	-5	0.01
DODH278	37	38	-0.01	-0.5	-0.1	2.18	-5	0.01
DODH278	38	39	-0.01	-0.5	-0.1	4.15	-5	0.01
DODH278	39	40	-0.01	-0.5	-0.1	4.35	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH280	0	1	0.11	1.3	1	4.41	-5	0.16
DODH280	1	2	0.05	1.7	3.2	11.5	18	0.18
DODH280	2	3	0.08	7.9	4.9	22.1	-5	0.38
DODH280	3	4	0.05	10.4	7.8	50.1	-5	0.52
DODH280	4	5	0.13	39.1	14	101	-5	1.52
DODH280	5	6	4.21	117	343	105	-5	10.12
DODH280	6	7	3.78	45.2	271	60.3	-5	7.20
DODH280	7	8	0.1	15.3	3	14.8	-5	0.55
DODH280	8	9	0.34	18.1	28	53.2	7	1.18
DODH280	9	10	1.21	164	185	158	-5	7.23
DODH280	10	11	0.37	122	61.3	308	-5	4.83
DODH280	11	12	0.3	51.6	45.6	66.7	-5	2.15
DODH280	12	13	0.15	23	5.9	30.9	-5	0.86
DODH280	13	14	0.12	11.4	7.1	52.9	-5	0.62
DODH280	14	15	0.14	54.5	9.9	45.8	-5	1.72
DODH280	15	16	0.18	49.8	17.8	52.7	-5	1.72
DODH280	16	17	0.1	5.9	2.8	30.3	-5	0.36
DODH280	17	18	0.05	10.5	6.1	667	-5	2.38
DODH280	18	19	0.71	40.9	22.9	582	-5	3.68
DODH280	19	20	0.25	11.6	6	252	-5	1.35
DODH280	20	21	0.26	14.2	6.8	327	-5	1.66
DODH280	21	22	12.6	240	213	86.5	58	20.60
DODH280	22	23	31.8	250	427	188	7	41.95
DODH280	23	24	0.82	17	33.7	48	-5	1.65
DODH280	24	25	0.65	30.7	15.8	23.6	-5	1.61
DODH280	25	26	0.25	14.6	7.9	764	-5	2.99
DODH280	26	27	0.28	4.2	4.3	1020	-5	3.51
DODH280	27	28	0.14	4.9	2.5	657	-5	2.27
DODH280	28	29	0.07	2	0.8	59.3	-5	0.31
DODH280	29	30	0.05	0.9	0.3	7.14	-5	0.10
DODH280	30	31	0.03	0.5	0.1	6.1	-5	0.06
DODH280	31	32	0.03	-0.5	0.2	12.8	-5	0.07
DODH280	32	33	0.04	-0.5	-0.1	7.07	-5	0.06
DODH280	33	34	0.01	-0.5	0.1	4.69	-5	0.02
DODH280	34	35	0.02	-0.5	-0.1	2.3	-5	0.03
DODH280	35	36	0.01	0.5	0.1	2.21	-5	0.03
DODH280	36	37	0.01	-0.5	-0.1	2.61	-5	0.02
DODH280	37	38	0.01	-0.5	-0.1	3.61	-5	0.02
DODH280	38	39	0.02	-0.5	-0.1	3.36	-5	0.03
DODH280	39	40	0.02	-0.5	-0.1	2.73	-5	0.03

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH281	0	1	0.66	48.1	28.9	15.4	199	2.42
DODH281	1	2	1.54	65.8	66.8	16.9	382	4.30
DODH281	2	3	1.78	70.9	78.7	27.5	23	4.28
DODH281	3	4	0.1	34.8	3.6	21.9	13	1.08
DODH281	4	5	1.58	66.1	39.3	19.3	11	3.61
DODH281	5	6	1.92	111	156	14	9	5.96
DODH281	6	7	2.7	135	229	31.2	27	7.99
DODH281	7	8	2.77	66.7	221	18.7	14	6.23
DODH281	8	9	0.07	33.8	8	8.45	7	1.01
DODH281	9	10	0.22	19.5	16.3	12.5	18	0.90
DODH281	10	11	0.12	9	11.7	12.8	13	0.49
DODH281	11	12	6.72	200	479	52.5	825	16.78
DODH281	12	13	0.98	53.5	48.9	13.3	33	2.79
DODH281	13	14	0.04	4.2	1.9	7.04	10	0.20
DODH281	14	15	2.15	141	82.1	55.5	80	6.60
DODH281	15	16	0.53	27.8	15.7	138	167	2.00
DODH281	16	17	0.06	13.1	2.2	7.13	14	0.45
DODH281	17	18	0.03	19	10.5	6.19	6	0.61
DODH281	18	19	0.02	13.9	1.1	5.68	-5	0.39
DODH281	19	20	-0.01	0.6	0.2	8.26	-5	0.04
DODH281	20	21	-0.01	2.4	-0.1	6.21	-5	0.08
DODH281	21	22	-0.01	-0.5	0.2	9.6	-5	0.03
DODH281	22	23	-0.01	-0.5	0.1	5.28	-5	0.02
DODH281	23	24	-0.01	-0.5	-0.1	4.76	-5	0.01
DODH281	24	25	-0.01	-0.5	-0.1	3.7	-5	0.01
DODH281	25	26	-0.01	-0.5	-0.1	5.16	-5	0.02
DODH281	26	27	-0.01	-0.5	-0.1	9.72	-5	0.03
DODH281	27	28	-0.01	-0.5	-0.1	7.18	-5	0.02
DODH281	28	29	-0.01	-0.5	-0.1	5.78	-5	0.02
DODH281	29	30	-0.01	-0.5	-0.1	4.07	-5	0.01
DODH281	30	31	-0.01	-0.5	-0.1	4.57	-5	0.01
DODH281	31	32	-0.01	-0.5	-0.1	3.76	-5	0.01
DODH281	32	33	-0.01	-0.5	-0.1	5.3	-5	0.02
DODH281	33	34	-0.01	-0.5	-0.1	7.49	-5	0.02
DODH281	34	35	-0.01	-0.5	-0.1	6.22	-5	0.02
DODH281	35	36	-0.01	-0.5	-0.1	4.41	-5	0.01
DODH281	36	37	-0.01	-0.5	-0.1	6.05	-5	0.02
DODH281	37	38	0.02	-0.5	-0.1	5.18	-5	0.04
DODH281	38	39	-0.01	-0.5	-0.1	3.91	-5	0.01
DODH281	39	40	-0.01	1.5	0.2	2.74	-5	0.05

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH285	0	1	5.08	88.4	57.8	90.9	8	8.03
DODH285	1	2	0.67	54.7	14.1	40.4	-5	2.27
DODH285	2	3	0.23	44	6.8	35.4	6	1.50
DODH285	3	4	2.15	62.8	25	40.9	7	4.05
DODH285	4	5	11.2	87.9	83	44.2	22	14.21
DODH285	5	6	12.5	166	150	31.5	28	17.95
DODH285	6	7	3.15	67.4	66.2	34.7	10	5.47
DODH285	7	8	0.64	43.9	14.9	17.1	9	1.92
DODH285	8	9	1.76	136	65.3	15.3	7	5.72
DODH285	9	10	0.46	59.9	10.3	12.4	5	2.08
DODH285	10	11	0.32	90.2	31	27.2	9	2.91
DODH285	11	12	1.3	128	59.5	35	9	5.08
DODH285	12	13	1.96	61.3	58.6	59.2	56	4.21
DODH285	13	14	1	85.6	38.9	27.9	17	3.55
DODH285	14	15	8.71	590	511	237	545	28.93
DODH285	15	16	0.3	50.3	24.2	14.5	214	2.10
DODH285	16	17	1.02	157	57.1	188	238	6.30
DODH285	17	18	8.75	1610	856	417	1740	59.41
DODH285	18	19	0.05	5	2.3	49	34	0.39
DODH285	19	20	0.11	15.6	4.8	16.9	65	0.68
DODH285	20	21	0.06	13.2	2.1	23.2	60	0.56
DODH285	21	22	0.02	10.6	1.1	14	7	0.35
DODH285	22	23	0.21	6.8	7	97.7	42	0.79
DODH285	23	24	0.12	11.9	4.7	67.2	132	0.85
DODH285	24	25	0.08	7.8	3	28.6	6	0.39
DODH285	25	26	0.18	8.9	4.8	8.09	22	0.50
DODH285	26	27	0.09	11.2	5.4	22.7	70	0.58
DODH285	27	28	0.16	14	6.3	26.2	294	1.06
DODH285	28	29	0.5	44.7	18.8	42	2380	5.29
DODH285	29	30	0.47	46.8	20.1	72.3	1420	4.04
DODH285	30	31	1.53	99	39.4	49.2	278	4.86
DODH285	31	32	0.02	1.1	0.6	3.58	16	0.09
DODH285	32	33	0.1	11.3	5.5	36.4	24	0.57
DODH285	33	34	0.05	14.8	4	23.4	7	0.53
DODH285	34	35	-0.01	-0.5	0.5	4.41	-5	0.02
DODH285	35	36	0.04	7	2.9	33.9	11	0.36
DODH285	36	37	0.02	3.2	1.4	12.8	12	0.17
DODH285	37	38	0.15	19.2	7.3	65	28	0.92
DODH285	38	39	0.09	23.7	8.3	30.4	33	0.89
DODH285	39	40	3.79	630	247	31.6	62	21.65
DODH285	40	41	0.17	30.2	12.7	275	76	1.97
DODH285	41	42	0.1	16.3	8.8	27.3	22	0.69
DODH285	42	43	0.06	9	3.6	31.5	55	0.49
DODH285	43	44	0.03	13.4	3.1	4.57	-5	0.40
DODH285	44	45	-0.01	1.2	0.4	3.44	-5	0.04
DODH285	45	46	-0.01	2.7	0.7	2.99	-5	0.08

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH290	0	1	3.09	31.6	37.8	27.5	6	4.27
DODH290	1	2	19.4	250	246	60.4	20	27.77
DODH290	2	3	1.1	73.8	18.6	25.5	19	3.19
DODH290	3	4	0.14	52.7	19.6	21.4	8	1.69
DODH290	4	5	0.83	48.6	21.4	25.7	25	2.33
DODH290	5	6	5.59	46.8	84.3	93.2	24	7.73
DODH290	6	7	1.37	47.2	50.5	23.1	16	3.04
DODH290	7	8	1.27	42.7	71.5	17	9	2.96
DODH290	8	9	3.53	150	189	32.1	10	8.86
DODH290	9	10	1.26	99.7	62.5	40.6	104	4.51
DODH290	10	11	0.97	48	31.1	32.3	616	3.39
DODH290	11	12	1.48	66.6	91	9.6	1060	5.40
DODH290	12	13	0.75	22.2	30	17.8	38	1.65
DODH290	13	14	0.37	34.7	18.5	12.4	194	1.70
DODH290	14	15	0.35	52.3	29.9	27.2	251	2.33
DODH290	15	16	0.49	25	19.2	15.3	316	1.76
DODH290	16	17	2.44	183	145	59.4	24	8.36
DODH290	17	18	0.56	45.2	38.2	24.4	219	2.37
DODH290	18	19	0.04	7	3.1	13.8	10	0.30
DODH290	19	20	24.6	1310	802	416	336	65.33
DODH290	20	21	0.21	26.8	10.8	5.82	6	0.99
DODH290	21	22	0.85	62.1	36.4	49.4	174	3.08
DODH290	22	23	0.74	31.3	26.1	33.7	738	2.88
DODH290	23	24	0.35	28.8	22.7	12.4	964	2.66
DODH290	24	25	0.07	6.1	3.8	14.5	15	0.32
DODH290	25	26	0.09	7.7	4.6	7.09	-5	0.34
DODH290	26	27	0.22	14.8	12.7	18.3	501	1.46
DODH290	27	28	0.29	12.7	17.5	32.8	1230	2.60
DODH290	28	29	1.55	190	136	77.9	6840	17.37
DODH290	29	30	0.1	23.9	10.1	14.5	89	0.95
DODH290	30	31	0.11	13.2	5.6	72	50	0.77
DODH290	31	32	-0.01	-0.5	0.4	13.2	13	0.06
DODH290	32	33	0.02	1.7	1.1	21.9	61	0.22
DODH290	33	34	0.02	1.9	1.3	37.4	20	0.22
DODH290	34	35	0.04	4.7	2.8	33	66	0.37
DODH290	35	36	1.24	124	79	186	5990	14.08
DODH290	36	37	0.01	1.9	0.9	15.5	35	0.16
DODH290	37	38	0.04	5.8	1.6	4.98	-5	0.21
DODH290	38	39	-0.01	-0.5	0.1	3.05	-5	0.01
DODH290	39	40	-0.01	0.7	0.5	3.32	42	0.09
DODH290	40	41	-0.01	0.6	0.2	3.01	-5	0.03
DODH290	41	42	0.07	15.2	5.8	7.94	-5	0.52
DODH290	42	43	0.04	7.6	3.2	5.74	-5	0.27
DODH290	43	44	0.03	7.1	1.7	4.94	-5	0.24
DODH290	44	45	0.02	1.7	0.9	4.24	-5	0.08
DODH290	45	46	-0.01	-0.5	0.2	3.5	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH301	0	1	3.48	26.7	163	22.9	11	5.50
DODH301	1	2	0.39	25.6	33.8	16.8	9	1.36
DODH301	2	3	0.14	25.3	24.5	17.7	14	1.04
DODH301	3	4	0.84	68.8	183	54.5	12	4.17
DODH301	4	5	0.77	69.1	92.3	32.8	14	3.33
DODH301	5	6	4.08	157	371	146	45	11.40
DODH301	6	7	33.2	190	628	48.3	13	43.00
DODH301	7	8	2.1	75.9	188	18	7	5.52
DODH301	8	9	1.61	55.4	112	13.4	6	3.92
DODH301	9	10	0.21	85.2	35.4	6.96	7	2.65
DODH301	10	11	0.77	96	51.6	13.3	6	3.62
DODH301	11	12	0.52	121	27.9	7.29	-5	3.78
DODH301	12	13	0.08	124	5.7	5.18	5	3.25
DODH301	13	14	0.04	67.1	4.8	4.81	-5	1.77
DODH301	14	15	0.02	6.1	1.2	3.85	-5	0.19
DODH301	15	16	0.06	30.8	2.3	3.91	-5	0.86
DODH301	16	17	0.13	101	17.7	5.12	6	2.82
DODH301	17	18	0.41	68.5	27.5	6.37	-5	2.36
DODH301	18	19	0.38	53.9	24.4	5.04	6	1.94
DODH301	19	20	0.08	19	28.5	7.4	-5	0.80
DODH301	20	21	0.05	63.5	14.2	6.21	-5	1.77
DODH301	21	22	0.01	59.9	2.1	5.59	-5	1.54
DODH301	22	23	-0.01	53.5	2	5.69	-5	1.37
DODH301	23	24	-0.01	8.1	0.9	6.6	-5	0.23
DODH301	24	25	-0.01	0.6	0.1	8.57	-5	0.04
DODH301	25	26	-0.01	-0.5	-0.1	11.3	-5	0.03
DODH301	26	27	-0.01	2.6	-0.1	6.01	-5	0.08
DODH301	27	28	-0.01	-0.5	-0.1	5.61	-5	0.02
DODH301	28	29	-0.01	-0.5	-0.1	3.44	-5	0.01
DODH301	29	30	-0.01	-0.5	-0.1	8.77	-5	0.03
DODH301	30	31	-0.01	-0.5	-0.1	4.84	-5	0.01
DODH301	31	32	-0.01	-0.5	-0.1	4.02	-5	0.01
DODH301	32	33	-0.01	-0.5	-0.1	3.38	-5	0.01
DODH301	33	34	-0.01	-0.5	-0.1	4.35	-5	0.01
DODH301	34	35	-0.01	-0.5	-0.1	5.25	-5	0.02
DODH301	35	36	-0.01	0.6	-0.1	7.57	-5	0.04
DODH301	36	37	-0.01	-0.5	-0.1	3.62	-5	0.01
DODH301	37	38	-0.01	-0.5	-0.1	7.81	-5	0.02
DODH301	38	39	-0.01	-0.5	-0.1	9.07	-5	0.03
DODH301	39	40	-0.01	-0.5	-0.1	5.09	-5	0.02

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH302	0	1	0.26	11.9	4.9	14	11	0.65
DODH302	1	2	0.33	17.1	18.7	19.3	14	0.98
DODH302	2	3	0.82	13.1	103	18.2	28	2.04
DODH302	3	4	0.33	20	26.1	16.7	9	1.10
DODH302	4	5	0.59	44.6	86	34.6	9	2.49
DODH302	5	6	0.12	42.3	13.8	16.3	5	1.34
DODH302	6	7	1.24	43.7	51.8	27.8	7	2.83
DODH302	7	8	0.09	27.3	3.5	15.6	-5	0.85
DODH302	8	9	6.35	60	425	59.1	31	11.38
DODH302	9	10	0.2	41.1	12	45.1	16	1.48
DODH302	10	11	1.85	137	312	50.8	21	7.89
DODH302	11	12	0.25	75.6	22.1	13.6	349	2.85
DODH302	12	13	1.3	46.1	110	21.3	428	3.98
DODH302	13	14	2.08	250	192	48.4	113	10.13
DODH302	14	15	0.07	157	27.7	12.7	15	4.27
DODH302	15	16	0.09	145	44.7	58.7	53	4.32
DODH302	16	17	0.03	4	4	78.1	15	0.42
DODH302	17	18	0.49	47.8	35.9	11.7	19	2.03
DODH302	18	19	0.03	76.6	3	6.47	-5	1.99
DODH302	19	20	2.14	61.3	135	6.91	6	4.75
DODH302	20	21	0.13	74	39.3	6.18	6	2.31
DODH302	21	22	0.32	48.9	93	6.74	7	2.30
DODH302	22	23	0.11	37.1	31.5	5.18	6	1.31
DODH302	23	24	0.02	44.1	11	4.65	-5	1.22
DODH302	24	25	-0.01	36	12.1	6.17	-5	1.01
DODH302	25	26	-0.01	65.8	5.4	9.68	-5	1.72
DODH302	26	27	0.04	29.6	8.6	8.86	-5	0.87
DODH302	27	28	0.05	6.2	6.7	5.41	-5	0.27
DODH302	28	29	0.33	22.1	6.4	6.03	-5	0.95
DODH302	29	30	8.85	67.9	80.9	7.2	-5	11.20
DODH302	30	31	9.71	91.9	94.2	18.1	-5	12.79
DODH302	31	32	0.01	22.5	2.9	41.4	-5	0.72
DODH302	32	33	0.03	9.2	2.2	111	-5	0.61
DODH302	33	34	0.02	14.5	1.4	28.3	-5	0.48
DODH302	34	35	0.28	13.1	5.3	35.1	-5	0.76
DODH302	35	36	0.72	11.6	12	217	-5	1.76
DODH302	36	37	0.01	0.9	1	12	-5	0.08
DODH302	37	38	-0.01	-0.5	0.3	12.3	-5	0.04
DODH302	38	39	-0.01	-0.5	0.2	10.3	-5	0.03
DODH302	39	40	-0.01	-0.5	0.3	9.32	-5	0.03

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH223	6	7	0.03	-0.5	-10	-10	5	0.04
DODH223	7	8	0.01	-0.5	-10	-10	-5	0.01
DODH223	8	9	0.02	-0.5	-10	-10	-5	0.02
DODH223	9	10	0.52	-0.5	-10	-10	-5	0.52
DODH223	10	11	0.02	0.5	-10	-10	-5	0.03
DODH223	11	12	0.02	0.6	-10	-10	-5	0.04
DODH223	12	13	0.07	3.5	10	-10	-5	0.24
DODH223	13	14	0.02	3.4	-10	-10	-5	0.11
DODH223	14	15	12.3	86.7	750	230	-5	21.00
DODH223	15	16	7.7	21	200	150	-5	10.24
DODH223	16	17	655	6.1	2670	770	-5	678.25
DODH223	17	18	6.68	25.2	110	100	-5	8.47
DODH223	18	19	26	84.5	540	350	-5	33.37
DODH223	19	20	4.85	78.3	290	200	-5	9.67
DODH223	20	21	1.74	200	190	770	-5	10.55
DODH223	21	22	0.75	130	40	900	-5	7.04
DODH223	22	23	0.69	78.1	50	170	-5	3.55
DODH223	23	24	0.4	45.7	20	30	-5	1.79
DODH223	24	25	0.82	75.5	20	120	-5	3.23
DODH223	25	26	0.57	34.6	-10	30	-5	1.53
DODH223	26	27	1.78	65	-10	70	-5	3.62
DODH223	27	28	0.22	28	-10	560	-5	2.62
DODH223	28	29	0.12	32.6	-10	620	-5	2.81
DODH223	29	30	0.63	16.9	-10	660	6	3.06
DODH223	30	31	0.45	21.8	-10	300	-5	1.90
DODH223	31	32	0.28	9.2	-10	260	5	1.31
DODH223	32	33	7.84	120	90	1470	26	16.03
DODH223	33	34	1.31	27.5	40	100	7	2.62
DODH223	34	35	0.17	3.8	-10	20	6	0.33
DODH223	35	36	0.21	2.7	-10	60	-5	0.46
DODH223	36	37	0.37	2.7	-10	170	-5	0.95
DODH223	37	38	0.45	13.5	-10	60	-5	0.97
DODH223	38	39	0.05	-0.5	-10	-10	-5	0.05
DODH223	39	40	0.02	-0.5	-10	-10	-5	0.02
DODH223	40	41	-0.01	-0.5	-10	-10	-5	0.00
DODH223	41	42	-0.01	-0.5	-10	-10	-5	0.00
DODH223	42	43	-0.01	-0.5	-10	-10	-5	0.00
DODH223	43	44	-0.01	-0.5	-10	-10	-5	0.00
DODH223	44	45	0.02	-0.5	-10	-10	-5	0.02

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH240	2	3	0.02	1.1	0	0	0	0.05
DODH240	3	4	0.02	0.6	0	0	0	0.04
DODH240	4	5	-0.01	0.6	0	0	0	0.02
DODH240	5	6	0.3	1.1	0	0	0	0.33
DODH240	6	7	0.16	5.5	0	0	0	0.30
DODH240	7	8	0.45	6.8	0	50	0	0.77
DODH240	8	9	0.52	8.1	20	30	0	0.97
DODH240	9	10	99.5	21.5	830	870	0	109.13
DODH240	10	11	348	17.7	3000	1210	0	375.44
DODH240	11	12	2.02	20.7	30	880	0	5.44
DODH240	12	13	0.77	14.5	0	290	0	2.01
DODH240	13	14	2.19	14.9	30	3470	0	13.32
DODH240	14	15	16.9	91.1	210	3140	0	30.33
DODH240	15	16	2.33	48.3	30	2830	29	12.39
DODH240	16	17	0.3	15.4	0	2420	23	8.06
DODH240	17	18	2.13	64.7	30	3690	6	15.18
DODH240	18	19	1.33	53.9	20	2310	0	9.84
DODH240	19	20	0.03	2	0	70	0	0.29
DODH240	20	21	0.02	1.4	0	10	0	0.09
DODH240	21	22	0.04	1	0	60	0	0.25
DODH240	22	23	0.05	1.8	0	80	0	0.34
DODH240	23	24	-0.01	-0.5	0	0	0	0.00
DODH240	24	25	-0.01	-0.5	0	0	0	0.00
DODH240	25	26	0.02	-0.5	0	0	0	0.02
DODH240	26	27	0.01	-0.5	0	10	0	0.04
DODH240	27	28	-0.01	-0.5	0	0	0	0.00
DODH240	28	29	-0.01	-0.5	0	0	0	0.00
DODH240	29	30	-0.01	-0.5	0	0	0	0.00
DODH240	30	31	0.01	-0.5	0	0	0	0.01
DODH240	31	32	-0.01	-0.5	0	0	0	0.00
DODH240	32	33	-0.01	-0.5	0	0	0	0.00
DODH240	33	34	-0.01	-0.5	0	0	0	0.00
DODH240	34	35	-0.01	-0.5	0	0	0	0.00
DODH240	35	36	-0.01	-0.5	0	0	0	0.00
DODH240	36	37	-0.01	-0.5	0	0	0	0.00
DODH240	37	38	-0.01	-0.5	0	0	0	0.00
DODH240	38	38.6	-0.01	-0.5	0	0	0	0.00

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH248	0	1	0.29	1.1	-10	-10	-5	0.32
DODH248	1	2	0.03	1.3	-10	-10	-5	0.06
DODH248	2	3	0.16	6.2	-10	10	-5	0.35
DODH248	3	4	0.38	7.2	-10	50	-5	0.71
DODH248	4	5	1.67	25.6	-10	80	-5	2.55
DODH248	5	6	529.7	220	3500	1130	-5	565.84
DODH248	6	7	12.4	47	210	290	-5	16.09
DODH248	7	8	2.31	36	30	70	-5	3.66
DODH248	8	9	17.03	22.1	550	160	-5	22.34
DODH248	9	10	20.8	19.4	460	490	-5	26.35
DODH248	10	11	64.99	32	450	350	-5	70.35
DODH248	11	12	14.3	25.9	460	600	-5	20.34
DODH248	12	13	15.66	25.3	110	670	-5	19.18
DODH248	13	14	15.98	38.7	100	1270	6	21.58
DODH248	14	15	5.8	29	50	1520	-5	11.52
DODH248	15	16	5.91	28.5	70	1500	-5	11.72
DODH248	16	17	0.67	19	-10	1500	-5	5.69
DODH248	17	18	1.76	46.9	40	2210	7	9.95
DODH248	18	19	1.74	41.4	20	2530	15	10.62
DODH248	19	20	0.6	20	-10	770	-5	3.43
DODH248	20	21	0.07	0.7	-10	30	-5	0.18
DODH248	21	22	0.03	-0.5	-10	10	-5	0.06
DODH248	22	23	0.03	0.9	-10	10	-5	0.08
DODH248	23	24	0.01	-0.5	-10	10	-5	0.04
DODH248	24	25	0.02	-0.5	-10	20	-5	0.08
DODH248	25	26	0.03	-0.5	-10	10	-5	0.06
DODH248	26	27	0.02	0.7	-10	20	-5	0.10
DODH248	27	28	0.02	-0.5	-10	10	-5	0.05
DODH248	28	29	0.03	-0.5	-10	20	-5	0.09
DODH248	29	30	-0.01	-0.5	-10	10	-5	0.03
DODH248	30	31	-0.01	-0.5	-10	10	10	0.04
DODH248	31	32	-0.01	-0.5	-10	-10	-5	0.00
DODH248	32	33	-0.01	0.8	-10	-10	-5	0.02
DODH248	33	34	0.02	-0.5	-10	-10	-5	0.02
DODH248	34	35	-0.01	-0.5	-10	-10	-5	0.00
DODH248	35	36	-0.01	-0.5	-10	10	-5	0.03
DODH248	36	37	-0.01	-0.5	-10	-10	-5	0.00
DODH248	37	38	-0.01	-0.5	-10	-10	-5	0.00
DODH248	38	39	-0.01	-0.5	-10	-10	-5	0.00
DODH248	39	40	-0.01	-0.5	-10	-10	-5	0.00
DODH248	40	41	-0.01	-0.5	-10	-10	-5	0.00
DODH248	41	41.6	-0.01	-0.5	-10	-10	-5	0.00