
MARKET RELEASE

16th November 2011

ROCKLANDS COPPER PROJECT (CDU 100%)

WILGAR UPDATE

**DRILLING CONTINUES TO INTERSECT HIGH-GRADE
GOLD AND SILVER MINERALISATION INCLUDING;**

Diamond Drill Hole DODH286 intersects;

37m @ 7.30g/t AuEq

(from 0-37m)

Diamond Drill Hole DODH273 intersects;

32m @ 5.81g/t AuEq

(from 0-32m)

Diamond Drill Hole DODH287 intersects;

31m @ 6.11g/t AuEq

(from 0-31m)

Diamond Drill Hole DODH292 intersects;

42m @ 5.42g/t AuEq

(from 0-42m)

Diamond Drill Hole DODH279 intersects;

26m @ 5.29g/t AuEq

(from 0-26m)



Figure 1: Visible gold in diamond drill hole DODH330, at approximately 19m, for which assays are awaited.

Drilling Continues to Intersect High-grade Gold and Silver Mineralisation

Subsequent to the results announced to the market on November 14th, further assay results have been received for the Wilgar prospect.

These holes are part of a series of short vertical holes, at varying distances across and along the interpreted strike direction of Wilgar mineralisation, that is currently being drilled to test below the extent of identified surface mineralisation.

Drilling is targeting potential repeats of the high-grade bonanza gold zone, whilst incrementally extending the mineralised footprint of the wider Wilgar polymetallic mineralised zone, which includes gold (Au), silver (Ag), tellurium (Te), molybdenum (Mo) and uranium (U).

Geological logging, hand-held XRF analysis, and initial assay results received from this new programme, are confirming mineralisation extends from surface to at least 45m in places.

The latest results are shown on pages 2 and 3 of this report.

Numerous drill results are expected over the coming weeks and regular updates can be expected. Significant results will be released as they come to hand.

Yours faithfully



Wayne McCrae
 Chairman



Figure 2: Visible gold in diamond drill hole DODH330, at approximately 19m - assays pending

DODH286		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	37m @ 7.30		2.90	101	83.2	122	599	0m	- 37m
<i>including</i>		4m @ 23.1		17.0	163	204	142	10.3	2m	- 6m
<i>and</i>		9m @ 11.8		2.76	256	194	244	288	11m	- 20m
Intersection	2	4m @ 1.58		0.31	26.1	16.1	52.9	240	42m	- 46m

DODH273		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	32m @ 5.81		2.54	87.5	84.9	118	44.2	0m	- 32m
<i>including</i>		8m @ 11.5		6.65	149	108	41.4	121	9m	- 17m
<i>and</i>		5m @ 13.0		4.16	232	318	192	13.2	21m	- 26m
Intersection	2	5.7m @ 0.84		0.14	22.2	8.14	19.3	16.5	45m	- 50.7m

cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste

DODH287		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	31m @ 6.11		3.36	72.9	71.9	71.7	102	0m	- 31m
		13m @ 10.3		6.80	93.2	113	59.5	68.2	2m	- 15m
Intersection	2	9m @ 2.34		0.38	66.5	29.4	6.70	29.2	40m	- 49m

DODH292		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	42m @ 5.42		1.59	96.1	57.8	63.5	551	0m	- 42m
		7m @ 12.6		3.40	282	143	55.0	632	11m	- 18m
		8m @ 7.42		1.75	88.1	88.6	118	1690	23m	- 31m

DODH279		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	26m @ 5.29		1.17	120	110	43.2	92.3	0m	- 26m
		9m @ 11.6		2.36	269	268	71.9	178	7m	- 16m
Intersection	2	6m @ 2.52		0.09	10.8	4.88	680	43.2	31m	- 37m

DODH265		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	5m @ 1.78		0.60	24.6	10.0	60.0	210	51m	- 56m

DODH266		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	15m @ 3.53		0.57	92.3	71.7	30.6	3.40	1m	- 16m
		3m @ 6.40		2.22	102	191	43.6	3.33	2m	- 5m

DODH267		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	9m @ 1.65		0.41	24.7	14.0	16.4	321	0m	- 9m
		3m @ 4.01		0.95	56.2	37.4	33.3	883	5m	- 8m

DODH283		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	33m @ 3.19		1.16	54.0	46.4	35.2	153	0m	- 33m
		8m @ 6.04		2.57	88.6	92.4	64.0	243	0m	- 8m

DODH289		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	30m @ 3.76		1.31	57.6	66.0	26.0	294	0m	- 30m

DODH295		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	34m @ 2.74		0.93	54.9	44.5	18.4	25.7	0m	- 34m

DODH299		Width	AuEq	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From (m)	To (m)
Intersection	1	21m @ 3.34		1.36	57.7	50.0	14.8	73.9	0m	- 21m

cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste

Competent Person Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Andrew Day. Mr Day is employed by GeoDay Pty Ltd, an entity engaged, by CuDeco Ltd to provide independent consulting services. Mr Day has a BAppSc (Hons) in geology and he is a Member of the Australasian Institute of Mining and Metallurgy (Member #303598). Mr Day has sufficient experience which is relevant to the style of mineralization and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ores Reserves". Mr Day consent to the inclusion in this report of the information in the form and context in which it appears.

The information in this report insofar as it relates to Metallurgical Test Results and Recoveries, is based on information compiled by Mr Peter Hutchison, MRACI Ch Chem, MAusIMM, a full-time executive director of CuDeco Ltd. Mr Hutchison has sufficient experience in hydrometallurgical and metallurgical techniques which is relevant to the results under consideration and to the activity which he is undertaking to qualify as a competent person for the purposes of this report. Mr Hutchison consents to the inclusion in this report of the information, in the form and context in which it appears.

Wilgar style mineralisation

Polymetallic and rare element hosting prospect, which includes mineralisation of Au, Mo, Ag, Te, Se, ±U. The high-grade gold, silver and tellurium may be present as tellurides and mineralisation may be related to an IRGS (Intrusion-Related Gold System).

Notes on Assay Results

All analyses are carried out at internationally recognized, independent, assay laboratories. Quality Assurance (QA) for the analyses is provided by continual analysis of known standards, blanks and duplicate samples as well as the internal QA procedures of the respective independent laboratories.

Wilgar drill intersections reported have been calculated on the basis of a gold cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste.

Reported intersections are down-hole widths. Weighted averages are reported in drill holes with more than one intercept of mineralization.

Au = Gold
Ag = Silver
Te = Tellurium
Mo = Molybdenum
Pb = Lead
Cu = Copper
Co = Cobalt
U = Uranium
Se = Selenium
Zn = Zinc

Gold (Au) Equivalent Calculation

The formula is based on metal prices of:

Gold	\$1200.00 USD/ounce
Silver	\$30.00 USD/ounce
Tellurium	\$300.00 USD/kg
U ₃ O ₈	\$45.00 USD/lb
Molybdenum	\$25.00 USD/lb

It the absence of metallurgical test work for this new style of mineralisation a recovery of 100% has been used in the Gold Equivalent Calculations. AuEq results are calculated to 2 decimal places and reported in mineralised intercepts to 3 significant figures. Uranium results are converted to U₃O₈ for calculation purposes; Uranium ppm results are multiplied by a conversion factor of 1.1792 to account for the oxide form of the uranium compound.

Bedrock Drilling








Bedrock drilling at Rocklands is completed with the Company's own Ingersoll Rand, LM500C Rotary Air Blast (RAB), Hydraulic Crawler Drill, which drills vertical holes from the surface down until hard bedrock is reached. When reached, the drill continues for another metre before stopping. Samples are taken down hole in 1 metre intervals from surface, including the last metre which is typically hard bedrock. A six metre hole typically provides 5m of softer, decomposed surface material (colluvium, alluvium, regolith or just plain soil), and one metre (the last metre), of fresh bedrock. The depth of the softer cover material at Rocklands generally varies from 2 to 14 metres in thickness.

Hole Location Table:

Hole ID	Easting	Northing	RL (m)	Azi (°)	Dip (°)	Hole Depth (m)
DODH265	432258.9	7715663.5	236.0	000	-90	65.2
DODH266	432268.9	7715680.1	237.5	000	-90	41.5
DODH267	432294.4	7715634.6	231.1	000	-90	56.5
DODH273	432274.1	7715686.3	237.5	000	-90	50.7
DODH279	432270.5	7715683.9	237.5	000	-90	50.7
DODH283	432284.7	7715684.2	237.4	000	-90	50.5
DODH286	432278.9	7715684.5	237.4	000	-90	50.5
DODH287	432276.8	7715684.5	237.4	000	-90	50
DODH289	432287.2	7715681.7	237.4	000	-90	50.5
DODH292	432279.2	7715681.7	237.4	000	-90	50.5
DODH295	432279.5	7715678.6	237.3	000	-90	53.5
DODH299	432291.2	7715681.7	237.3	000	-90	50.2
DODH330	432274.4	7715706.5	243.4	210	-40	40.9

Datum: AGD66 Project: UTM54 surveyed with Differential GPS (1 decimal place, 10cm accuracy) and/or handheld GPS (no decimal places, 4m accuracy).

Colour Ranges for Gold Equivalent (AuEq) values, used in the following Assay Results Tables;

AuEq	From	To
	0	<0.5
	0.5	<1
	1	<2
	2	<5
	5	<10
	10	<15
	15+	

Note: 1ppm = 1g/t

Assay Results Legend

- "nn"	Negatives values indicated result below lower detection limit ("nn"= lower detection limit)
LNR	Lab Not Receive (ie, sample not received at Assay Lab)
I/S	Insufficient Sample available to obtain result
DIP	sample Destroyed In Preparation
X	result below detection
-	sample not assayed

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH265	16	17	-0.01	-0.5	-10	-10	-5	0.00
DODH265	17	18	-0.01	-0.5	-10	20	-5	0.06
DODH265	18	19	-0.01	-0.5	-10	-10	-5	0.00
DODH265	19	20	-0.01	-0.5	-10	-10	-5	0.00
DODH265	20	21	-0.01	0.9	-10	-10	-5	0.02
DODH265	21	22	-0.01	-0.5	-10	10	-5	0.03
DODH265	22	23	-0.01	-0.5	-10	20	-5	0.06
DODH265	23	24	-0.01	-0.5	-10	-10	-5	0.00
DODH265	24	25	-0.01	-0.5	-10	-10	-5	0.00
DODH265	25	26	-0.01	-0.5	-10	10	-5	0.03
DODH265	26	27	-0.01	-0.5	-10	10	-5	0.03
DODH265	27	28	-0.01	-0.5	-10	10	-5	0.03
DODH265	28	29	-0.01	-0.5	-10	10	-5	0.03
DODH265	29	30	-0.01	-0.5	-10	10	-5	0.03
DODH265	30	31	-0.01	-0.5	-10	10	-5	0.03
DODH265	31	32	-0.01	-0.5	-10	-10	-5	0.00
DODH265	32	33	-0.01	-0.5	-10	-10	-5	0.00
DODH265	33	34	-0.01	-0.5	-10	-10	-5	0.00
DODH265	34	35	-0.01	-0.5	-10	-10	-5	0.00
DODH265	35	36	-0.01	-0.5	-10	-10	-5	0.00
DODH265	36	37	-0.01	-0.5	-10	10	-5	0.03
DODH265	37	38	-0.01	-0.5	-10	-10	-5	0.00
DODH265	38	39	-0.01	-0.5	-10	-10	-5	0.00
DODH265	39	40	-0.01	0.6	-10	10	-5	0.05
DODH265	40	41	-0.01	-0.5	-10	-10	-5	0.00
DODH265	41	42	-0.01	-0.5	-10	10	-5	0.03
DODH265	42	43	-0.01	-0.5	-10	20	-5	0.06
DODH265	43	44	0.09	4.4	-10	30	34	0.34
DODH265	44	45	0.3	16.1	-10	50	68	0.95
DODH265	45	46	0.03	1.6	-10	10	32	0.15
DODH265	46	47	0.05	1.2	-10	50	-5	0.23
DODH265	47	48	0.24	4.7	-10	10	-5	0.39
DODH265	48	49	-0.01	-0.5	-10	-10	-5	0.00
DODH265	49	50	0.06	9.9	-10	10	-5	0.34
DODH265	50	51	-0.01	1.5	-10	10	6	0.08
DODH265	51	52	0.1	23.8	0	20	71	0.86
DODH265	52	53	0.02	8.3	0	0	7	0.24
DODH265	53	54	0.02	7.2	0	0	0	0.20
DODH265	54	55	0.08	16.8	20	50	187	1.07
DODH265	55	56	2.8	66.8	30	230	785	6.52
DODH265	56	57	0.05	4.8	-10	10	-5	0.20
DODH265	57	58	-0.01	-0.5	-10	10	-5	0.03
DODH265	58	59	-0.01	-0.5	-10	-10	-5	0.00
DODH265	59	60	0.02	-0.5	-10	-10	6	0.03
DODH265	60	61	-0.01	-0.5	-10	-10	-5	0.00

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH266	1	2	0.85	24.5	53.9	15.7	34	1.98
DODH266	2	3	1.95	82.4	175	51.2	10	5.54
DODH266	3	4	2.79	113	302	43.9	-5	8.10
DODH266	4	5	1.92	112	96.2	35.7	-5	5.58
DODH266	5	6	0.07	45.4	23.7	17.1	-5	1.44
DODH266	6	7	0.22	97.6	54	58.4	-5	3.26
DODH266	7	8	0.24	143	74.3	42.8	7	4.53
DODH266	8	9	0.09	117	25.2	16.6	-5	3.26
DODH266	9	10	0.07	80.6	34.2	14.1	-5	2.39
DODH266	10	11	0.08	101	65.8	67.1	-5	3.32
DODH266	11	12	0.07	128	60.6	24.3	-5	3.81
DODH266	12	13	0.07	150	59.1	40.2	-5	4.40
DODH266	13	14	-0.01	71.8	33.6	21.7	-5	2.12
DODH266	14	15	0.07	74.4	12.5	5.8	-5	2.04
DODH266	15	16	-0.01	44.3	5.8	4.15	-5	1.17
DODH266	16	17	-0.01	4.6	0.4	5.33	-5	0.13
DODH266	17	18	0.01	7.1	1.4	8.08	-5	0.22
DODH266	18	19	0.02	4.6	0.6	6.24	-5	0.16
DODH266	19	20	0.01	-0.5	0.1	5.27	-5	0.03
DODH266	20	21	0.02	-0.5	0.4	8.12	-5	0.05
DODH266	21	22	-0.01	-0.5	-0.1	16.8	-5	0.05
DODH266	22	23	0.07	-0.5	-0.1	14.9	-5	0.12
DODH266	23	24	0.02	-0.5	-0.1	9.63	-5	0.05
DODH266	24	25	0.01	-0.5	-0.1	11.4	-5	0.04
DODH266	25	26	-0.01	-0.5	-0.1	4.58	-5	0.01
DODH266	26	27	-0.01	-0.5	-0.1	12.2	-5	0.04
DODH266	27	28	-0.01	-0.5	-0.1	15.4	-5	0.05
DODH266	28	29	-0.01	-0.5	-0.1	20.4	-5	0.06
DODH266	29	30	-0.01	-0.5	-0.1	18.9	-5	0.06
DODH266	30	31	-0.01	1.6	1.1	38	-5	0.16
DODH266	31	32	0.02	-0.5	-0.1	8.84	-5	0.05
DODH266	32	33	0.02	-0.5	-0.1	30.3	-5	0.11
DODH266	33	34	0.02	-0.5	-0.1	28.6	-5	0.11
DODH266	34	35	-0.01	-0.5	-0.1	20.4	-5	0.06
DODH266	35	36	-0.01	-0.5	-0.1	6.97	-5	0.02
DODH266	36	37	-0.01	-0.5	-0.1	6.8	-5	0.02
DODH266	37	38	-0.01	-0.5	-0.1	4.94	-5	0.01
DODH266	38	39	-0.01	-0.5	-0.1	4.15	-5	0.01
DODH266	39	40	-0.01	-0.5	-0.1	4.83	-5	0.01
DODH266	40	41	-0.01	-0.5	-0.1	2.36	-5	0.01
DODH266	41	41.5	0.01	-0.5	-0.1	2.66	-5	0.02

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH267	0	1	0.31	3.3	2.1	4.85	-5	0.42
DODH267	1	2	0.02	1.1	0.3	4.85	-5	0.06
DODH267	2	3	-0.01	1.8	0.4	4.78	-5	0.06
DODH267	3	4	0.06	11.3	1.3	5.8	7	0.38
DODH267	4	5	0.06	11.6	1.5	11.6	27	0.44
DODH267	5	6	0.75	52.9	30.4	28	220	2.71
DODH267	6	7	0.46	38.2	36.6	29.4	278	2.19
DODH267	7	8	1.65	77.4	45.1	42.4	2150	7.14
DODH267	8	9	0.38	25	8.2	15.6	208	1.41
DODH267	9	10	0.02	0.9	0.6	3.78	8	0.07
DODH267	10	11	0.01	0.7	0.5	6.73	11	0.07
DODH267	11	12	0.05	2.1	1.4	8.04	59	0.22
DODH267	12	13	-0.01	0.5	0.2	3.69	-5	0.03
DODH267	13	14	-0.01	-0.5	-0.1	4.05	-5	0.01
DODH267	14	15	-0.01	-0.5	-0.1	3.46	-5	0.01
DODH267	15	16	-0.01	1.2	0.2	3.18	-5	0.04
DODH267	16	17	-0.01	-0.5	-0.1	2.77	-5	0.01
DODH267	17	18	-0.01	-0.5	-0.1	3.66	-5	0.01
DODH267	18	19	-0.01	-0.5	-0.1	2.73	-5	0.01
DODH267	19	20	-0.01	-0.5	-0.1	2.21	-5	0.01
DODH267	20	21	-0.01	-0.5	-0.1	3.03	-5	0.01
DODH267	21	22	-0.01	-0.5	-0.1	4.51	-5	0.01
DODH267	22	23	-0.01	-0.5	-0.1	1.66	-5	0.01
DODH267	23	24	-0.01	-0.5	-0.1	1.63	-5	0.00
DODH267	24	25	-0.01	-0.5	-0.1	1.47	-5	0.00
DODH267	25	26	-0.01	-0.5	-0.1	1.56	-5	0.00
DODH267	26	27	-0.01	-0.5	-0.1	1.24	-5	0.00
DODH267	27	28	-0.01	-0.5	-0.1	0.97	-5	0.00
DODH267	28	29	-0.01	-0.5	-0.1	0.86	-5	0.00
DODH267	29	30	-0.01	-0.5	-0.1	1.42	-5	0.00
DODH267	30	31	-0.01	-0.5	-0.1	0.99	-5	0.00
DODH267	31	32	0.01	-0.5	-0.1	2.31	-5	0.02
DODH267	32	33	-0.01	-0.5	-0.1	1.16	-5	0.00
DODH267	33	34	-0.01	-0.5	-0.1	1.47	-5	0.00
DODH267	34	35	-0.01	-0.5	-0.1	1.03	-5	0.00
DODH267	35	36	0.01	-0.5	-0.1	1.06	-5	0.01
DODH267	36	37	-0.01	-0.5	-0.1	0.87	-5	0.00
DODH267	37	38	-0.01	-0.5	-0.1	0.86	-5	0.00
DODH267	38	39	-0.01	-0.5	-0.1	0.98	-5	0.00
DODH267	39	40	-0.01	-0.5	-0.1	0.93	-5	0.00
DODH267	40	41	-0.01	-0.5	-0.1	1.32	-5	0.00
DODH267	41	42	-0.01	-0.5	-0.1	1.09	-5	0.00
DODH267	42	43	-0.01	-0.5	-0.1	0.95	-5	0.00
DODH267	43	44	-0.01	-0.5	-0.1	1.29	-5	0.00

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH273	0	1	0.45	34.9	19.4	43.3	X	1.60
DODH273	1	2	1.4	30.2	30.4	30.9	X	2.49
DODH273	2	3	0.37	24.5	13.7	22.9	7	1.17
DODH273	3	4	0.01	18.5	0.4	13.8	6	0.53
DODH273	4	5	0.31	25.4	34.7	32.9	9	1.33
DODH273	5	6	0.25	20.4	10.3	23.2	X	0.91
DODH273	6	7	0.13	41.5	25.9	24.8	X	1.44
DODH273	7	8	0.43	27.9	17	24.8	8	1.35
DODH273	8	9	0.17	32.9	10.9	17.7	X	1.13
DODH273	9	10	24.1	110	182	21.6	15	28.35
DODH273	10	11	1.35	70.3	12.6	19.7	6	3.27
DODH273	11	12	0.58	47.5	20.8	39	5	2.05
DODH273	12	13	0.32	27.2	9.6	18.3	7	1.14
DODH273	13	14	13.4	720	253	44.1	46	33.57
DODH273	14	15	1.27	28.8	26.2	21.4	13	2.28
DODH273	15	16	8.28	74.6	282	49.7	212	12.79
DODH273	16	17	3.89	111	74.1	117	663	8.54
DODH273	17	18	0.21	5.9	9.6	126	14	0.83
DODH273	18	19	0.65	29.6	16.4	55.5	20	1.71
DODH273	19	20	0.9	48.6	26.3	243	74	3.16
DODH273	20	21	0.09	10.4	4.2	82.5	9	0.65
DODH273	21	22	2.95	41.5	104	83.3	22	5.08
DODH273	22	23	0.66	110	51.2	87.2	7	4.08
DODH273	23	24	8.43	500	1020	264	21	29.69
DODH273	24	25	8.19	400	342	54.3	9	21.03
DODH273	25	26	0.56	106	71.3	471	7	5.20
DODH273	26	27	0.03	3.7	2.9	706	X	2.29
DODH273	27	28	0.13	6.2	6.3	100	12	0.65
DODH273	28	29	0.33	10.6	6.4	392	X	1.83
DODH273	29	30	0.23	17.4	6.9	193	X	1.30
DODH273	30	31	0.76	42.3	11.9	261	X	2.70
DODH273	31	32	0.47	22.8	13	103	221	1.77
DODH273	32	33	0.05	2.8	1.9	58.8	9	0.33
DODH273	33	34	X	X	0.2	22.6	X	0.07
DODH273	34	35	X	X	0.2	11.5	X	0.04
DODH273	35	36	X	X	0.1	5.43	X	0.02
DODH273	36	37	X	X	0.1	4.7	X	0.02
DODH273	37	38	X	X	X	4.17	X	0.01
DODH273	38	39	X	X	0.1	6.69	X	0.02
DODH273	39	40	X	X	X	4.02	X	0.01
DODH273	40	41	X	X	X	3.38	X	0.01
DODH273	41	42	X	X	X	5.39	X	0.02
DODH273	42	43	0.1	5.1	3	11.3	X	0.29
DODH273	43	44	0.02	X	1.5	4.62	X	0.05
DODH273	44	45	X	2.2	0.8	4.38	X	0.07
DODH273	45	46	0.53	108	27.8	74.8	7	3.68
DODH273	46	47	0.14	11.1	7.8	9.42	59	0.59
DODH273	47	48	0.01	1	2.1	5.13	0	0.07
DODH273	48	49	0	0.8	0.5	4.46	0	0.04
DODH273	49	50	0.04	6.3	3.9	16.5	23	0.31
DODH273	50	50.65	0.15	8.7	9.6	8.21	14	0.49

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH279	0	1	1.89	27.4	47.2	20.3	682	3.98
DODH279	1	2	0.17	16	6.7	19	12	0.70
DODH279	2	3	0.08	18	4.9	36.1	12	0.69
DODH279	3	4	0.29	33.6	24.3	51	16	1.50
DODH279	4	5	0.4	35.1	31.5	94.7	16	1.83
DODH279	5	6	0.23	44.5	20.9	31.8	6	1.61
DODH279	6	7	0.1	51.5	23.7	34	9	1.69
DODH279	7	8	2.38	108	213	81.2	21	7.01
DODH279	8	9	1.71	106	260	70.5	8	6.61
DODH279	9	10	11.4	460	576	141	26	27.84
DODH279	10	11	0.27	102	18.7	45.3	289	3.52
DODH279	11	12	1.65	430	600	93.3	698	18.35
DODH279	12	13	0.25	440	113	53.9	92	12.42
DODH279	13	14	0.31	94.4	38.5	53.1	40	3.19
DODH279	14	15	0.51	320	109	50.8	190	9.78
DODH279	15	16	2.76	360	485	58.4	242	16.05
DODH279	16	17	0.04	74.3	4	9.3	7	1.97
DODH279	17	18	0.05	2.9	3.5	13.5	-5	0.19
DODH279	18	19	0.37	26.6	20.6	16.1	12	1.26
DODH279	19	20	0.05	16	3.8	11.8	15	0.54
DODH279	20	21	0.51	73.5	27.3	53.3	8	2.73
DODH279	21	22	1.57	81	76.5	17.7	-5	4.24
DODH279	22	23	2.27	117	128	29.7	-5	6.28
DODH279	23	24	-0.01	42.8	3.4	16.4	-5	1.15
DODH279	24	25	0.22	27.1	5.8	12.1	-5	0.98
DODH279	25	26	1.05	16	6.2	8.52	-5	1.52
DODH279	26	27	0.06	6.1	0.8	4.76	-5	0.23
DODH279	27	28	0.02	4.3	0.7	9.27	-5	0.16
DODH279	28	29	0.01	0.7	0.4	5.61	-5	0.05
DODH279	29	30	0.02	-0.5	0.3	3.71	-5	0.03
DODH279	30	31	0.01	0.5	0.3	5.53	-5	0.04
DODH279	31	32	0.15	17.1	6.8	802	-5	3.06
DODH279	32	33	0.12	18.5	9.7	2570	47	8.52
DODH279	33	34	0.11	12.9	5.7	378	6	1.63
DODH279	34	35	0.05	4.5	2.1	164	-5	0.68
DODH279	35	36	0.04	3.2	1.5	20.5	-5	0.19
DODH279	36	37	0.06	8.6	3.5	144	206	1.03
DODH279	37	38	0.03	1.4	0.6	98.1	7	0.38
DODH279	38	39	0.03	0.6	0.3	16.8	-5	0.10
DODH279	39	40	0.02	-0.5	0.4	18	-5	0.08
DODH279	40	41	-0.01	-0.5	0.2	13.5	-5	0.04
DODH279	41	42	0.01	-0.5	0.2	9.63	-5	0.03
DODH279	42	43	-0.01	-0.5	0.1	7.16	-5	0.02
DODH279	43	44	-0.01	-0.5	-0.1	3.62	-5	0.01
DODH279	44	45	-0.01	-0.5	0.2	2.8	-5	0.01
DODH279	45	46	-0.01	-0.5	-0.1	2.95	-5	0.01
DODH279	46	47	-0.01	-0.5	-0.1	3.48	-5	0.01
DODH279	47	48	-0.01	0.5	0.2	3.27	-5	0.02
DODH279	48	49	-0.01	-0.5	-0.1	4.35	-5	0.01
DODH279	49	50	-0.01	-0.5	0.1	4.31	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH283	0	1	2.27	220	69.5	38.7	541	9.20
DODH283	1	2	0.8	45.8	34.4	14.1	9	2.27
DODH283	2	3	1.15	71.7	50.5	17.3	10	3.40
DODH283	3	4	1.24	85.6	93.8	21.6	14	4.19
DODH283	4	5	2.13	85.2	73.3	20.6	68	4.99
DODH283	5	6	7.37	122	136	35.8	47	11.65
DODH283	6	7	0.57	16.8	20.8	10.5	72	1.29
DODH283	7	8	5.03	61.5	261	353	1180	11.35
DODH283	8	9	0.62	49.2	28.4	17.1	183	2.38
DODH283	9	10	0.75	49.5	92.2	30.8	13	2.82
DODH283	10	11	0.24	15.8	8.4	13	408	1.32
DODH283	11	12	1.24	77	31.7	46.7	36	3.60
DODH283	12	13	2.19	123	109	17.4	37	6.22
DODH283	13	14	3.86	220	165	41.6	210	11.07
DODH283	14	15	0.54	91.8	64.8	11.5	99	3.52
DODH283	15	16	0.91	36.9	20.7	32	17	2.11
DODH283	16	17	0.28	13	7.1	22.8	47	0.80
DODH283	17	18	2.19	150	110	25.1	148	7.08
DODH283	18	19	0.2	9.4	8.3	86.2	84	0.88
DODH283	19	20	0.13	4.4	2.6	22.2	25	0.36
DODH283	20	21	0.39	26.4	11	18.6	285	1.60
DODH283	21	22	0.55	15.9	8.9	20	180	1.33
DODH283	22	23	2.14	42.9	40.3	78.6	1280	5.59
DODH283	23	24	0.26	9.8	6.2	67.9	28	0.80
DODH283	24	25	0.05	3.8	1.9	12.7	6	0.21
DODH283	25	26	0.03	-0.5	0.3	8.27	7	0.07
DODH283	26	27	0.02	0.8	0.3	3.8	-5	0.05
DODH283	27	28	0.06	6.7	3.6	6.37	-5	0.27
DODH283	28	29	0.25	41	28.4	7.84	-5	1.52
DODH283	29	30	0.57	51.9	39.4	20.7	18	2.26
DODH283	30	31	0.04	4.9	0.7	9.16	-5	0.20
DODH283	31	32	0.02	15.8	1.9	6.93	-5	0.45
DODH283	32	33	0.03	11.9	2.2	21.3	-5	0.41
DODH283	33	34	0.02	0.9	0.4	7.56	-5	0.07
DODH283	34	35	0.02	3.9	0.7	7.37	-5	0.15
DODH283	35	36	0.02	-0.5	-0.1	4.3	-5	0.03
DODH283	36	37	0.01	-0.5	-0.1	4.13	-5	0.02
DODH283	37	38	0.02	-0.5	-0.1	3.28	-5	0.03
DODH283	38	39	0.01	-0.5	-0.1	4	-5	0.02
DODH283	39	40	0.01	-0.5	-0.1	3.96	-5	0.02
DODH283	40	41	0.02	-0.5	-0.1	3.65	-5	0.03
DODH283	41	42	-0.01	0.7	0.1	2.9	-5	0.03
DODH283	42	43	-0.01	0.7	0.2	2.52	-5	0.03
DODH283	43	44	0.01	1.3	0.3	2.26	-5	0.05
DODH283	44	45	-0.01	1.5	-0.1	3.17	-5	0.05
DODH283	45	46	0.01	-0.5	-0.1	2.81	-5	0.02
DODH283	46	47	-0.01	-0.5	-0.1	2.3	-5	0.01
DODH283	47	48	-0.01	-0.5	-0.1	3.53	-5	0.01
DODH283	48	49	-0.01	-0.5	-0.1	4.5	-5	0.01
DODH283	49	50	-0.01	-0.5	-0.1	3.3	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH286	0	1	0.12	32.7	1.3	16.6	7	1.01
DODH286	1	2	0.9	49.6	19.1	51.1	-5	2.44
DODH286	2	3	41.6	400	610	380	7	57.51
DODH286	3	4	4.76	111	73.2	90.8	8	8.39
DODH286	4	5	0.6	39	13.9	55.4	7	1.86
DODH286	5	6	21.2	100	118	43.3	19	24.78
DODH286	6	7	2.67	68	55.5	59.6	11	5.00
DODH286	7	8	0.67	39.6	6.4	22.5	6	1.79
DODH286	8	9	0.08	20.9	1.9	10.6	-5	0.65
DODH286	9	10	0.39	41.8	7.8	13.2	-5	1.54
DODH286	10	11	0.1	24.2	3.2	9.46	5	0.77
DODH286	11	12	2.66	113	120	32.8	11	6.53
DODH286	12	13	2.79	122	87.9	24.9	449	7.24
DODH286	13	14	1.2	50	55.1	457	390	4.82
DODH286	14	15	2.78	300	165	421	242	13.19
DODH286	15	16	0.12	12.3	6.2	24.1	23	0.58
DODH286	16	17	5.91	500	626	482	82	24.86
DODH286	17	18	0.24	54.6	26.3	16.7	31	1.90
DODH286	18	19	1.37	150	94.6	115	486	6.90
DODH286	19	20	7.78	1000	568	620	880	40.33
DODH286	20	21	0.06	4.6	3.2	52.5	18	0.38
DODH286	21	22	0.08	14.1	6	75	31	0.75
DODH286	22	23	0.43	48.2	26	103	240	2.49
DODH286	23	24	0.5	50	24.2	99.5	346	2.73
DODH286	24	25	0.12	13.5	5.3	102	98	0.95
DODH286	25	26	0.38	23	11	16.4	29	1.13
DODH286	26	27	0.08	7.3	3.8	16.1	81	0.46
DODH286	27	28	0.5	60.8	103	96.2	2970	7.36
DODH286	28	29	0.07	26.1	5.5	8.9	21	0.82
DODH286	29	30	0.15	42.4	10.3	16.1	9	1.35
DODH286	30	31	0.07	5.2	2.4	12.8	15	0.28
DODH286	31	32	0.05	4.1	2.4	16.6	20	0.25
DODH286	32	33	0.11	12.3	5.1	75	125	0.86
DODH286	33	34	0.11	6.8	6.1	55.6	137	0.69
DODH286	34	35	5.66	139	164	351	15000	32.90
DODH286	35	36	0.54	21.3	10.1	203	340	2.25
DODH286	36	37	0.57	34.7	31.9	256	17	2.49
DODH286	37	38	0.08	1.2	0.8	18.6	6	0.18
DODH286	38	39	0.03	0.6	1	5.94	80	0.19
DODH286	39	40	-0.01	-0.5	0.3	4.73	8	0.03
DODH286	40	41	-0.01	-0.5	0.3	4.74	-5	0.02
DODH286	41	42	-0.01	-0.5	0.3	4.49	-5	0.02
DODH286	42	43	0.21	34.3	19.6	128	374	2.14
DODH286	43	44	0.65	23	18.8	53.4	158	1.76
DODH286	44	45	0.15	27.1	11	11.2	420	1.55
DODH286	45	46	0.21	19.9	15.1	19.1	6	0.89
DODH286	46	47	-0.01	1.2	1	4.28	-5	0.05
DODH286	47	48	0.14	2	3.2	3.13	-5	0.22
DODH286	48	49	-0.01	3.7	0.8	3.78	-5	0.11
DODH286	49	50	-0.01	-0.5	-0.1	2.74	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH287	0	1	0.87	35.1	18	15.7	9	1.95
DODH287	1	2	0.61	34.9	12.5	25	9	1.67
DODH287	2	3	10.6	63.3	182	27.7	15	13.70
DODH287	3	4	4.16	43.3	185	23.2	38	6.81
DODH287	4	5	9.56	69.7	102	48.6	5	12.25
DODH287	5	6	2	53.4	29.6	25.6	5	3.65
DODH287	6	7	31.9	151	202	24.4	13	37.34
DODH287	7	8	8.49	53	72.3	37.3	15	10.51
DODH287	8	9	3.33	57.1	34.7	31.5	14	5.14
DODH287	9	10	3.08	46.9	72.8	17.7	266	5.25
DODH287	10	11	2.48	87.3	40.6	52.8	8	5.15
DODH287	11	12	2.51	99.8	52.2	25.3	38	5.54
DODH287	12	13	2.51	135	144	13.5	56	7.13
DODH287	13	14	1.17	112	108	56.4	65	5.07
DODH287	14	15	6.61	240	242	390	349	16.17
DODH287	15	16	0.25	16.2	8	24.8	71	0.89
DODH287	16	17	0.18	61.2	33.2	16.2	14	2.04
DODH287	17	18	0.06	4.3	1.9	23.5	9	0.27
DODH287	18	19	2.09	260	159	70.8	1310	11.91
DODH287	19	20	0.06	21.5	4.4	21.1	15	0.72
DODH287	20	21	0.06	7	3	19.6	-5	0.32
DODH287	21	22	1.91	290	141	232	548	11.74
DODH287	22	23	2.26	134	132	596	127	8.63
DODH287	23	24	0.07	10.3	3.3	19.8	24	0.45
DODH287	24	25	0.03	2.6	1.7	32.9	26	0.25
DODH287	25	26	3.01	23.4	47.3	29.7	23	4.09
DODH287	26	27	1.11	27.3	33.5	77.3	40	2.34
DODH287	27	28	0.03	5.5	1.3	13.1	10	0.23
DODH287	28	29	0.05	20.6	2	11.8	-5	0.62
DODH287	29	30	3.13	82.5	153	155	28	6.89
DODH287	30	31	0.12	12.7	5.1	62.9	8	0.68
DODH287	31	32	0.04	3.2	1.6	10.8	34	0.21
DODH287	32	33	0.03	1.8	1.1	17.2	6	0.14
DODH287	33	34	0.01	-0.5	0.4	6.98	-5	0.03
DODH287	34	35	-0.01	-0.5	0.2	6.43	-5	0.02
DODH287	35	36	-0.01	-0.5	0.2	4.79	-5	0.02
DODH287	36	37	-0.01	-0.5	0.3	3.23	-5	0.01
DODH287	37	38	0.04	1.7	0.8	19.9	-5	0.15
DODH287	38	39	-0.01	-0.5	0.1	3.65	-5	0.01
DODH287	39	40	-0.01	-0.5	-0.1	5.84	-5	0.02
DODH287	40	41	0.26	17.8	7.5	16.1	111	0.97
DODH287	41	42	0.13	24.2	10.6	3.46	-5	0.83
DODH287	42	43	-0.01	1	0.5	3.01	-5	0.04
DODH287	43	44	2.9	510	228	11.5	144	17.66
DODH287	44	45	0.03	14.4	4.8	8.79	8	0.47
DODH287	45	46	0.02	6.8	4.8	2.11	-5	0.23
DODH287	46	47	-0.01	3.4	1	3.93	-5	0.10
DODH287	47	48	0.01	4.1	1.8	2.39	-5	0.13
DODH287	48	49	0.11	16.6	5.2	9.02	-5	0.59
DODH287	49	50	0.03	6.9	2.1	3.86	-5	0.23

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH289	0	1	0.74	31.3	27.2	22.4	9	1.81
DODH289	1	2	1.48	62.8	45	18.7	18	3.48
DODH289	2	3	6.8	149	251	42.5	17	12.63
DODH289	3	4	3.49	139	161	29.8	78	8.42
DODH289	4	5	0.66	157	49.4	27.2	13	5.07
DODH289	5	6	1.05	73.9	32.9	15.1	12	3.22
DODH289	6	7	6.17	114	250	30.7	153	11.28
DODH289	7	8	0.77	79.4	23	19.3	181	3.25
DODH289	8	9	1.04	71.4	159	46.3	107	4.35
DODH289	9	10	0.23	23.8	9.6	36.7	77	1.12
DODH289	10	11	0.21	35.1	9.9	8.74	16	1.21
DODH289	11	12	0.67	59.6	41.7	6.68	9	2.52
DODH289	12	13	0.09	31.9	4.1	6.28	20	0.97
DODH289	13	14	0.04	15.2	2.6	9.08	7	0.48
DODH289	14	15	6.34	270	302	27.5	41	15.58
DODH289	15	16	3.21	180	326	24.3	494	11.02
DODH289	16	17	0.45	45	29.3	8.06	125	2.01
DODH289	17	18	0.52	63.4	28	44	340	2.94
DODH289	18	19	0.1	18.8	16.8	7.76	67	0.82
DODH289	19	20	0.28	19.1	13.6	49.6	572	1.83
DODH289	20	21	0.27	17.5	12.1	12.5	193	1.12
DODH289	21	22	0.35	5.2	7.8	10.7	24	0.61
DODH289	22	23	0.17	2.6	2.3	9.63	9	0.29
DODH289	23	24	0.15	5.6	5.6	42.3	193	0.74
DODH289	24	25	0.1	1	3.8	87.2	841	1.62
DODH289	25	26	0.41	9.5	22.7	34.9	61	1.02
DODH289	26	27	1.71	30.2	70.2	15.2	13	3.08
DODH289	27	28	0.09	5.2	5.5	18.4	296	0.74
DODH289	28	29	1.54	1.7	56.4	42.9	2990	6.42
DODH289	29	30	0.24	9.4	10.1	26.6	1840	3.26
DODH289	30	31	0.05	1	10.6	17	25	0.24
DODH289	31	32	0.03	-0.5	0.3	2.02	22	0.07
DODH289	32	33	-0.01	-0.5	0.2	2.81	6	0.02
DODH289	33	34	0.11	3.2	3.6	4.82	31	0.28
DODH289	34	35	0.02	1	3.4	4.88	-5	0.09
DODH289	35	36	-0.01	-0.5	-0.1	3.33	-5	0.01
DODH289	36	37	-0.01	-0.5	0.2	6.4	-5	0.02
DODH289	37	38	-0.01	3.6	0.5	3.83	-5	0.11
DODH289	38	39	-0.01	-0.5	0.3	2.47	-5	0.01
DODH289	39	40	-0.01	-0.5	0.1	2.77	-5	0.01
DODH289	40	41	-0.01	-0.5	0.1	2.12	-5	0.01
DODH289	41	42	0.04	5.5	0.2	2.12	-5	0.19
DODH289	42	43	0.03	2.2	-0.1	2.08	-5	0.09
DODH289	43	44	-0.01	-0.5	-0.1	2.72	-5	0.01
DODH289	44	45	0.03	-0.5	-0.1	3.41	-5	0.04
DODH289	45	46	-0.01	-0.5	-0.1	3.23	-5	0.01
DODH289	46	47	-0.01	-0.5	-0.1	2.36	-5	0.01
DODH289	47	48	-0.01	-0.5	-0.1	2.97	-5	0.01
DODH289	48	49	-0.01	-0.5	-0.1	3.78	-5	0.01
DODH289	49	50	-0.01	-0.5	-0.1	2.84	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH292	0	1	3.02	85.3	54.6	39.8	10	5.71
DODH292	1	2	3.48	103	46	28	9	6.51
DODH292	2	3	0.36	48.9	5.8	34.3	7	1.74
DODH292	3	4	2.56	75.8	36.4	29.3	14	4.85
DODH292	4	5	0.85	66.5	34	16	13	2.84
DODH292	5	6	1.93	82.4	35.6	16.1	11	4.33
DODH292	6	7	1.98	62.1	19.3	12.6	14	3.74
DODH292	7	8	2.66	43.1	33.4	17.1	12	4.07
DODH292	8	9	1.31	58.3	18.5	12.1	11	2.96
DODH292	9	10	1.13	44.8	28.4	33.6	14	2.59
DODH292	10	11	0.33	52	14	16.9	14	1.81
DODH292	11	12	9.8	121	138	38.5	18	14.04
DODH292	12	13	1.99	154	138	52.3	1230	8.83
DODH292	13	14	2.42	200	94.2	17.2	1220	9.95
DODH292	14	15	0.65	51.3	20.6	12.4	788	3.26
DODH292	15	16	0.12	7	2.7	7.72	17	0.36
DODH292	16	17	0.53	37.4	29.4	6.84	835	2.91
DODH292	17	18	8.31	1400	578	250	314	49.01
DODH292	18	19	0.6	53.2	31.9	96.3	709	3.48
DODH292	19	20	0.09	6.9	4.1	7.96	11	0.33
DODH292	20	21	1.39	88.5	37.4	28.9	453	4.63
DODH292	21	22	0.07	8.4	3.8	28.2	16	0.42
DODH292	22	23	0.83	16.5	15.2	16	21	1.44
DODH292	23	24	3.22	131	226	113	720	9.62
DODH292	24	25	6.31	84.9	147	33.8	1240	11.45
DODH292	25	26	0.04	1.5	1.6	8.44	15	0.14
DODH292	26	27	0.24	10.1	10.6	11.8	200	0.90
DODH292	27	28	0.06	3.4	2.2	28.8	29	0.29
DODH292	28	29	3.28	400	276	425	5600	24.71
DODH292	29	30	0.58	37.8	30.9	12	2270	5.04
DODH292	30	31	0.28	36	14.4	314	3460	7.19
DODH292	31	32	0.08	7.1	3.7	9.67	56	0.40
DODH292	32	33	0.11	4.2	3.8	33.9	45	0.41
DODH292	33	34	0.77	24.2	102	31.4	556	3.06
DODH292	34	35	0.51	39.1	28	40	748	2.90
DODH292	35	36	0.11	7.9	3.3	42.3	25	0.50
DODH292	36	37	0.06	3.6	1.7	226	30	0.89
DODH292	37	38	0.23	18	8.5	268	776	2.67
DODH292	38	39	0.1	9.6	4.2	23.9	126	0.63
DODH292	39	40	0.67	47.4	21.9	135	811	3.59
DODH292	40	41	3.72	300	116	64.7	502	13.04
DODH292	41	42	0.07	5.8	5.5	26.6	171	0.58
DODH292	42	43	X	1.1	0.7	3.57	5	0.05
DODH292	43	44	0.06	3.8	0.4	2.75	X	0.17
DODH292	44	45	0.18	4.4	2.1	4.77	6	0.33
DODH292	45	46	0.03	3.2	1.2	4.88	X	0.13
DODH292	46	47	X	2.1	0.6	4.1	X	0.07
DODH292	47	48	X	X	0.2	3.84	X	0.01
DODH292	48	49	X	X	0.1	2.06	X	0.01
DODH292	49	50	X	X	0.1	2.65	X	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH295	0	1	0.94	61.2	26.2	19	6	2.74
DODH295	1	2	2.25	83.6	29.4	8.04	7	4.60
DODH295	2	3	4.42	56.4	116	7.16	8	6.77
DODH295	3	4	0.44	36.8	18.8	5.12	8	1.53
DODH295	4	5	0.06	21.9	1.6	4.34	-5	0.63
DODH295	5	6	0.21	32.3	41.7	6.46	-5	1.36
DODH295	6	7	1.01	33.5	77.3	6.49	-5	2.47
DODH295	7	8	3.78	67.9	109	17.2	-5	6.38
DODH295	8	9	3.75	53.8	93.7	13.4	-5	5.86
DODH295	9	10	0.39	58.3	81.4	3.97	-5	2.49
DODH295	10	11	1.3	73.1	122	5.32	6	4.10
DODH295	11	12	0.08	80.5	11.3	4.45	13	2.21
DODH295	12	13	0.13	52.9	6.3	5.99	7	1.53
DODH295	13	14	0.15	34	7	6.54	14	1.09
DODH295	14	15	0.24	29.6	14.5	16	19	1.17
DODH295	15	16	10.4	470	499	56.7	736	27.25
DODH295	16	17	0.1	22.7	9.2	4.2	13	0.77
DODH295	17	18	0.07	48.7	19.3	6.18	10	1.47
DODH295	18	19	0.12	40.8	36.7	7.65	13	1.47
DODH295	19	20	0.52	58.6	55.8	7.3	8	2.45
DODH295	20	21	0.26	41.3	37.9	9.86	6	1.63
DODH295	21	22	0.03	21.7	7.8	5.5	-5	0.65
DODH295	22	23	-0.01	50.9	8.5	4.25	-5	1.35
DODH295	23	24	0.04	48.3	12.8	4.99	-5	1.36
DODH295	24	25	0.07	47	11.7	5.17	-5	1.35
DODH295	25	26	0.04	28.6	7.2	6.7	-5	0.83
DODH295	26	27	0.03	11.1	5	35	-5	0.45
DODH295	27	28	0.11	6.9	4.9	36.1	-5	0.43
DODH295	28	29	0.03	5.9	1.8	19.1	-5	0.25
DODH295	29	30	0.09	102	8.7	18.5	-5	2.76
DODH295	30	31	0.21	39.9	21.2	159	-5	1.85
DODH295	31	32	0.18	23.7	4.5	90.6	-5	1.08
DODH295	32	33	0.03	10.7	1.2	7	-5	0.33
DODH295	33	34	0.1	11.8	2.3	12.1	-5	0.45
DODH295	34	35	0.02	3.7	0.8	15.8	-5	0.17
DODH295	35	36	0.05	8.4	3.3	18	-5	0.34
DODH295	36	37	0.04	2.6	1.4	26.1	-5	0.20
DODH295	37	38	0.02	-0.5	0.3	12.4	-5	0.06
DODH295	38	39	0.02	-0.5	0.1	14.3	-5	0.06
DODH295	39	40	0.01	-0.5	0.2	5.8	-5	0.03
DODH295	40	41	0.03	-0.5	0.2	6.5	-5	0.05
DODH295	41	42	-0.01	2.3	1	9.83	-5	0.10
DODH295	42	43	0.01	3	1.3	4.34	-5	0.11
DODH295	43	44	-0.01	4.2	1	3.16	-5	0.12
DODH295	44	45	-0.01	1.6	0.4	2.63	-5	0.05
DODH295	45	46	-0.01	1.3	0.9	2.88	-5	0.05
DODH295	46	47	-0.01	3.4	0.7	3.35	-5	0.10
DODH295	47	48	-0.01	1.3	0.5	4.58	-5	0.05
DODH295	48	49	-0.01	0.8	0.2	2.34	-5	0.03
DODH295	49	50	-0.01	0.8	0.3	2.73	-5	0.03

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH299	0	1	0.21	16	6.2	10.4	13	0.71
DODH299	1	2	1.13	52.7	27.5	12.8	15	2.72
DODH299	2	3	3.51	71.3	100	19	11	6.14
DODH299	3	4	0.77	36.2	14.2	14.7	13	1.85
DODH299	4	5	2.08	66	94.1	21.9	36	4.58
DODH299	5	6	2.12	49.6	66.4	49.9	16	4.05
DODH299	6	7	1.22	92.9	59.6	29.1	68	4.19
DODH299	7	8	1.58	174	57.8	24.1	47	6.52
DODH299	8	9	1.02	87.4	37.6	7.42	15	3.54
DODH299	9	10	0.38	41.3	20.2	9.86	33	1.65
DODH299	10	11	1.53	30.5	57.9	14.3	58	2.87
DODH299	11	12	0.21	37.4	58.4	7.74	5	1.63
DODH299	12	13	0.26	67.4	35.6	6.92	5	2.25
DODH299	13	14	4.1	120	232	9.17	17	8.96
DODH299	14	15	6	91.3	86.1	7.56	9	8.99
DODH299	15	16	0.22	34.4	13	12.7	80	1.33
DODH299	16	17	1.21	81.6	33.1	14.5	437	4.18
DODH299	17	18	0.26	22.4	14.8	7.16	11	0.97
DODH299	18	19	0.31	25.3	16.2	11.3	167	1.34
DODH299	19	20	0.3	10.1	9.5	9.45	101	0.80
DODH299	20	21	0.18	4.2	10.3	10.8	394	0.96
DODH299	21	22	0.01	1.8	0.8	6.38	-5	0.08
DODH299	22	23	0.03	0.9	1.1	5.25	5	0.08
DODH299	23	24	-0.01	0.6	0.7	2.85	-5	0.03
DODH299	24	25	-0.01	1.1	0.9	2.48	-5	0.04
DODH299	25	26	0.02	2.8	1.7	7.04	215	0.43
DODH299	26	27	0.05	2.7	2.4	4.37	7	0.16
DODH299	27	28	0.07	2.5	4.2	12	356	0.71
DODH299	28	29	-0.01	-0.5	0.2	17.8	6	0.06
DODH299	29	30	-0.01	-0.5	0.1	10.8	-5	0.03
DODH299	30	31	-0.01	-0.5	0.2	5.05	-5	0.02
DODH299	31	32	-0.01	-0.5	0.2	5.13	5	0.02
DODH299	32	33	-0.01	-0.5	0.1	5.15	-5	0.02
DODH299	33	34	-0.01	-0.5	0.1	4.39	-5	0.01
DODH299	34	35	0.01	-0.5	0.2	5.62	-5	0.03
DODH299	35	36	-0.01	-0.5	0.2	3.59	-5	0.01
DODH299	36	37	-0.01	-0.5	0.2	3.28	-5	0.01
DODH299	37	38	-0.01	-0.5	-0.1	4.92	-5	0.01
DODH299	38	39	-0.01	-0.5	0.2	2.99	-5	0.01
DODH299	39	40	-0.01	-0.5	0.1	3.21	-5	0.01
DODH299	40	41	-0.01	-0.5	0.2	2.66	-5	0.01
DODH299	41	42	-0.01	6.3	0.2	2.2	-5	0.17
DODH299	42	43	-0.01	2.9	0.3	3.17	-5	0.08
DODH299	43	44	-0.01	-0.5	0.2	3.21	-5	0.01
DODH299	44	45	-0.01	-0.5	0.2	2.69	-5	0.01
DODH299	45	46	-0.01	-0.5	0.2	2.51	-5	0.01
DODH299	46	47	-0.01	-0.5	0.1	3.27	-5	0.01
DODH299	47	48	-0.01	-0.5	0.2	4.16	-5	0.01
DODH299	48	49	-0.01	-0.5	0.2	7.62	-5	0.02
DODH299	49	50	0.01	-0.5	0.5	3.58	-5	0.02