

ROCKLANDS COPPER PROJECT (CDU 100%)

WILGAR UPDATE

FURTHER HIGH-GRADE GOLD AND SILVER RESULTS:

Diamond Drill Hole DODH293 intersects;

40m @ 4.10g/t AuEq

(from 0-40m)

Diamond Drill Hole DODH304 intersects;

29m @ 4.50g/t AuEq

(from 0-29m)

Diamond Drill Hole DODH298 intersects;

29m @ 3.57g/t AuEq

(from 0-29m)

Diamond Drill Hole DODH275 intersects;

35m @ 3.26g/t AuEq

(from 0-35m)

Diamond Drill Hole DODH277 intersects;

25m @ 2.95g/t AuEq

(from 0-25m)

(* AuEq = gold equivalent; full details of above intersections at end of this report)



Figure 1: Visible gold identified in diamond drill hole DODH275, at approximately 14m which assayed 26.7g/t AuEq. Grooves from the diamond drill tip are visible on the exposed surface.



Figure 2: Visible gold in diamond drill hole DODH330, at approximately 19m - assays pending.

Further High-grade Gold and Silver Results from Wilgar

Further results have been received from the Wilgar prospect.

These holes are part of a series of short vertical holes, at varying distances across and along the interpreted strike direction of Wilgar mineralisation, that are currently being drilled to test below the extent of identified surface mineralisation.

Drilling is targeting potential repeats of the high-grade bonanza gold zone, whilst incrementally extending the mineralised footprint of the wider Wilgar polymetallic mineralised zone, which includes gold (Au), silver (Ag), tellurium (Te), molybdenum (Mo) and uranium (U).

Geological logging, hand-held XRF analysis, and initial assay results received from this new programme, are confirming mineralisation extends from surface to at least 45m in places.

Numerous drill results are expected over the coming weeks and regular updates will be released from time to time. Highlighted intersections are detailed on page 3, and all intersections are reported at the end of the report.

Significant results will be released as they come to hand.



Figure 3: Diamond drill core from DODH304, from approximately 13-16m, which assayed 3m at 15.5 g/t AuEq. Visible gold was not observed.

Recent results include;

DODH293		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	40m @	4.10	1.67	61.6	66.4	42.8	166	0m	- 40m
<i>including</i>		9m @	8.55	4.50	98.6	105	45.7	446	7m	- 16m

DODH304		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	29m @	4.50	0.80	97.6	142	43.6	11.9	0m	- 29m
<i>including</i>		13m @	7.42	1.55	132	292	84.6	22.8	4m	- 17m

DODH298		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	29m @	3.57	1.21	58.3	58.4	18.6	277	0m	- 29m
<i>including</i>		6m @	6.99	2.88	109	148	28.0	107	1m	- 7m

DODH275		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	35m @	3.26	0.67	46.6	60.5	143	359	0m	- 35m
<i>including</i>		7m @	9.42	2.40	135	250	116	936	10m	- 17m

DODH277		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	25m @	2.95	0.50	68.5	50.2	36.6	165	0m	- 25m
Intersection	2	3m @	2.69	0.20	44.1	25.1	387	12.0	32m	- 35m

cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste

Yours faithfully



Wayne McCrae
Chairman

Competent Person Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Andrew Day. Mr Day is employed by GeoDay Pty Ltd, an entity engaged, by CuDeco Ltd to provide independent consulting services. Mr Day has a BAppSc (Hons) in geology and he is a Member of the Australasian Institute of Mining and Metallurgy (Member #303598). Mr Day has sufficient experience which is relevant to the style of mineralization and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ores Reserves". Mr Day consent to the inclusion in this report of the information in the form and context in which it appears.

The information in this report insofar as it relates to Metallurgical Test Results and Recoveries, is based on information compiled by Mr Peter Hutchison, MRACI Ch Chem, MAusIMM, a full-time executive director of CuDeco Ltd. Mr Hutchison has sufficient experience in hydrometallurgical and metallurgical techniques which is relevant to the results under consideration and to the activity which he is undertaking to qualify as a competent person for the purposes of this report. Mr Hutchison consents to the inclusion in this report of the information, in the form and context in which it appears.

Wilgar style mineralisation

Polymetallic and rare element hosting prospect, which includes mineralisation of Au, Mo, Ag, Te, Se, ±U. The high-grade gold, silver and tellurium may be present as tellurides and mineralisation may be related to an IRGS (Intrusion-Related Gold System).

Notes on Assay Results

All analyses are carried out at internationally recognized, independent, assay laboratories. Quality Assurance (QA) for the analyses is provided by continual analysis of known standards, blanks and duplicate samples as well as the internal QA procedures of the respective independent laboratories.

Wilgar drill intersections reported have been calculated on the basis of a gold cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste.

Reported intersections are down-hole widths. Weighted averages are reported in drill holes with more than one intercept of mineralization.

Au = Gold
Ag = Silver
Te = Tellurium
Mo = Molybdenum
Pb = Lead
Cu = Copper
Co = Cobalt
U = Uranium
Se = Selenium
Zn = Zinc

Gold (Au) Equivalent Calculation

The formula is based on metal prices of:

Gold \$1200.00 USD/ounce

Silver \$30.00 USD/ounce

Tellurium \$300.00 USD/kg

U₃O₈ \$45.00 USD/lb

Molybdenum \$25.00 USD/lb

It the absence of metallurgical test work on this new style of mineralisation a recover or 100% has been used in the Gold Equivalent Calculations. AuEq results are calculated to 2 decimal places and reported in mineralised intercepts to 3 significant figures. Uranium results are converted to U₃O₈ for calculation purposes; Uranium ppm results are multiplied by a conversion factor of 1.1792 to account for the oxide form of the uranium compound.

Bedrock Drilling

Bedrock drilling at Rocklands is completed with the Company's own Ingersoll Rand, LM500C Rotary Air Blast (RAB), Hydraulic Crawler Drill, which drills vertical holes from the surface down until hard bedrock is reached. When reached, the drill continues for another metre before stopping. Samples are taken down hole in 1 metre intervals from surface, including the last metre which is typically hard bedrock. A six metre hole typically provides 5m of softer, decomposed surface material (colluvium, alluvium, regolith or just plain soil), and one metre (the last metre), of fresh bedrock. The depth of the softer cover material at Rocklands generally varies from 2 to 14 metres in thickness.

Hole Location Table:

Hole ID	Easting	Northing	RL (m)	Azi (°)	Dip (°)	Hole Depth (m)
DODH275	432271.1	7715685.7	237.5	000	-90	50
DODH277	432268.7	7715684.8	237.6	000	-90	65.6
DODH293	432275.2	7715681.7	237.4	000	-90	50
DODH298	432289.1	7715681.7	237.4	000	-90	50.5
DODH304	432267.5	7715683.5	237.5	000	-90	53.6

Datum: AGD66 Project: UTM54 surveyed with Differential GPS (1 decimal place, 10cm accuracy) and/or handheld GPS (no decimal places, 4m accuracy).

Colour Ranges for Gold Equivalent (AuEq) values, used in the following Assay Results Tables;

AuEq	From	To
	0	<0.5
	0.5	<1
	1	<2
	2	<5
	5	<10
	10	<15
	15+	

Note: 1ppm = 1g/t

Assay Results Legend

- "nn" Negatives values indicated result below lower detection limit ("nn"= lower detection limit)
- LNR Lab Not Receive (ie, sample not received at Assay Lab)
- I/S Insufficient Sample available to obtain result
- DIP sample Destroyed In Preparation
- X result below detection
- sample not assayed

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH275	0	1	0.07	12.2	2.6	9.84	6	0.43
DODH275	1	2	0.14	18.5	9.9	21.2	11	0.76
DODH275	2	3	0.31	38.9	19.9	28.6	6	1.53
DODH275	3	4	0.02	33.8	1.3	29	7	0.97
DODH275	4	5	0.32	34.6	24.7	32.9	9	1.49
DODH275	5	6	0.06	25.8	7.8	18	15	0.84
DODH275	6	7	0.24	62.8	50.2	38.5	11	2.33
DODH275	7	8	1.3	51.4	39.5	30.9	29	3.03
DODH275	8	9	0.04	45.7	4	39.7	14	1.35
DODH275	9	10	1.01	57.3	24.4	52.5	52	2.87
DODH275	10	11	1.31	81.9	107	272	30	5.06
DODH275	11	12	1.88	200	326	56.7	233	9.92
DODH275	12	13	5.61	200	233	94.2	266	13.09
DODH275	13	14	6.59	260	902	191	4200	26.68
DODH275	14	15	0.15	40.6	20.8	54.7	90	1.62
DODH275	15	16	0.39	46.8	31.9	43.7	345	2.43
DODH275	16	17	0.9	119	126	97.5	1390	7.14
DODH275	17	18	0.69	12.9	19	51.7	499	2.03
DODH275	18	19	0.27	45.4	30	22.8	13	1.73
DODH275	19	20	0.18	54.2	17.9	22.8	11	1.76
DODH275	20	21	0.04	6.1	2.9	33.4	17	0.34
DODH275	21	22	0.51	19.7	23.7	116	35	1.59
DODH275	22	23	0.04	37.9	20.4	69.1	-5	1.36
DODH275	23	24	-0.01	1.4	0.8	92.5	-5	0.32
DODH275	24	25	0.03	57.1	1.7	20.7	-5	1.53
DODH275	25	26	-0.01	1.5	0.6	14.5	-5	0.09
DODH275	26	27	-0.01	0.9	0.4	21.1	-5	0.09
DODH275	27	28	0.09	2.7	1.4	26.9	-5	0.25
DODH275	28	29	0.57	18.7	10.9	282	-5	1.98
DODH275	29	30	-0.01	0.7	0.6	31.4	5	0.12
DODH275	30	31	-0.01	-0.5	0.3	16	-5	0.05
DODH275	31	32	0.03	4.6	3.1	556	111	2.01
DODH275	32	33	0.51	14.9	34.1	1930	5040	14.20
DODH275	33	34	0.23	16.6	14.9	489	135	2.44
DODH275	34	35	0.09	6.2	3.5	82	-5	0.52
DODH275	35	36	-0.01	0.9	0.4	29.6	16	0.14
DODH275	36	37	0.04	1.8	0.9	14.1	15	0.16
DODH275	37	38	-0.01	-0.5	0.2	4.67	-5	0.02
DODH275	38	39	0.02	1.6	0.8	28.2	-5	0.15
DODH275	39	40	-0.01	-0.5	-0.1	7.77	-5	0.02
DODH275	40	41	-0.01	0.6	0.2	6.15	-5	0.04
DODH275	41	42	0.22	1.6	0.7	11.1	-5	0.30
DODH275	42	43	0.04	7.5	2	13.5	-5	0.28
DODH275	43	44	0.04	3.7	1.7	6.69	-5	0.17
DODH275	44	45	0.05	4.6	2.5	7.97	5	0.22
DODH275	45	46	0.01	9.7	5.9	5.72	-5	0.32
DODH275	46	47	-0.01	1.9	0.9	4.78	-5	0.07
DODH275	47	48	-0.01	-0.5	-0.1	4.31	-5	0.01
DODH275	48	49	-0.01	0.6	0.2	4.09	-5	0.03
DODH275	49	50	-0.01	1	0.2	3.76	-5	0.04

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH277	0	1	0.13	40.9	18.4	20.5	-5	1.36
DODH277	1	2	0.04	21.6	3.5	26.6	7	0.70
DODH277	2	3	0.07	34.5	1.8	17.8	26	1.04
DODH277	3	4	0.28	39.3	12.7	40.4	7	1.49
DODH277	4	5	0.07	57.9	10.1	27.5	-5	1.68
DODH277	5	6	0.32	113	44.6	41.8	-5	3.62
DODH277	6	7	0.03	41.9	8.4	54.3	6	1.32
DODH277	7	8	0.81	45.6	46.1	63.1	14	2.52
DODH277	8	9	0.03	53.6	3.1	43.2	10	1.54
DODH277	9	10	0.05	39.4	24.4	36.9	8	1.35
DODH277	10	11	1.94	61.2	98.3	109	18	4.59
DODH277	11	12	0.02	30.4	3.1	26.8	15	0.91
DODH277	12	13	0.02	47.7	2.6	49.8	19	1.41
DODH277	13	14	0.09	79.7	15.6	73.2	49	2.50
DODH277	14	15	6.84	620	829	112	3890	34.68
DODH277	15	16	0.8	174	93.8	20.5	23	5.97
DODH277	16	17	0.04	20.7	3.2	19.2	9	0.65
DODH277	17	18	0.06	11.8	6.4	24.4	21	0.51
DODH277	18	19	0.37	36.2	14.7	17.9	8	1.46
DODH277	19	20	0.06	12.9	3.4	13.2	-5	0.45
DODH277	20	21	0.14	22.7	5.4	11.6	-5	0.78
DODH277	21	22	0.05	14	1.9	20.5	-5	0.48
DODH277	22	23	0.04	33.2	1.4	21.6	-5	0.95
DODH277	23	24	0.02	39.5	2.1	17.1	-5	1.08
DODH277	24	25	0.06	22	1.1	6.61	-5	0.64
DODH277	25	26	0.03	12.3	0.7	4.07	-5	0.36
DODH277	26	27	0.06	7.4	1.6	3.41	-5	0.27
DODH277	27	28	0.03	3.9	1.7	2.54	-5	0.15
DODH277	28	29	-0.01	2	0.8	5.04	-5	0.07
DODH277	29	30	-0.01	2.3	0.9	2.83	-5	0.07
DODH277	30	31	0.03	5.4	3	7.89	-5	0.21
DODH277	31	32	0.02	4.6	2.3	8.69	-5	0.18
DODH277	32	33	0.11	27.8	17	507	23	2.51
DODH277	33	34	0.21	64.7	36.1	411	-5	3.35
DODH277	34	35	0.28	39.9	22.3	244	13	2.21
DODH277	35	36	0.03	4.4	2.7	12.8	-5	0.20
DODH277	36	37	0.02	1.6	0.9	20.4	-5	0.13
DODH277	37	38	0.01	1.1	0.6	10.8	-5	0.07
DODH277	38	39	0.02	1.7	0.8	12	-5	0.11
DODH277	39	40	-0.01	1.3	0.4	8.24	-5	0.06
DODH277	40	41	-0.01	-0.5	-0.1	5.61	-5	0.02
DODH277	41	42	-0.01	0.7	0.3	8.2	-5	0.04
DODH277	42	43	0.02	0.8	0.3	6.16	-5	0.06
DODH277	43	44	-0.01	-0.5	-0.1	4.28	-5	0.01
DODH277	44	45	-0.01	1	0.3	3.98	-5	0.04
DODH277	45	46	-0.01	1.1	0.3	3.6	-5	0.04
DODH277	46	47	-0.01	1.2	0.2	3.1	-5	0.04
DODH277	47	48	-0.01	1	0.2	2.5	-5	0.03
DODH277	48	49	-0.01	0.8	-0.1	2.78	-5	0.03
DODH277	49	50	-0.01	0.8	0.1	3.25	-5	0.03

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH293	0	1	2.82	55.1	58.8	25.7	11	4.75
DODH293	1	2	0.45	50.7	33.4	28.6	11	2.08
DODH293	2	3	2.71	62.4	86.7	50.8	9	5.11
DODH293	3	4	3.44	92.1	229	41.3	9	7.66
DODH293	4	5	0.95	57.5	82.3	26.8	7	3.12
DODH293	5	6	2.68	64.4	99	17.8	6	5.12
DODH293	6	7	1.21	55.6	35.5	16.2	8	2.94
DODH293	7	8	21.3	127	142	18.8	9	25.65
DODH293	8	9	6.75	52.5	98.9	34.7	18	8.96
DODH293	9	10	2.46	64.6	49	22.5	21	4.55
DODH293	10	11	0.31	48.5	13.1	15.9	18	1.70
DODH293	11	12	2.7	78.8	99.4	31.2	35	5.59
DODH293	12	13	4.6	260	304	40.6	339	14.07
DODH293	13	14	0.89	123	119	39.2	408	5.59
DODH293	14	15	0.75	75.5	64.2	30.4	527	3.98
DODH293	15	16	0.75	57.3	50.9	178	2640	6.89
DODH293	16	17	0.17	40.1	8.3	6.77	115	1.42
DODH293	17	18	0.03	10.3	2.7	10.1	16	0.36
DODH293	18	19	2.22	270	368	414	269	13.47
DODH293	19	20	1.67	210	347	35.7	22	9.76
DODH293	20	21	0.24	47.6	8	6.86	-5	1.51
DODH293	21	22	0.07	45.6	11.5	4.97	-5	1.31
DODH293	22	23	1.58	54.8	68.1	12.4	11	3.53
DODH293	23	24	0.21	37.8	43.5	15.4	30	1.58
DODH293	24	25	1.07	31.8	30.1	7.52	9	2.13
DODH293	25	26	0.4	30.4	14.9	6.89	11	1.31
DODH293	26	27	0.55	71.2	56.8	17.9	23	2.86
DODH293	27	28	0.03	24.7	10.6	56.1	12	0.92
DODH293	28	29	0.04	1.5	0.9	117	14	0.46
DODH293	29	30	0.06	7.1	3.1	122	36	0.68
DODH293	30	31	0.78	88.3	46.3	53.3	1290	5.35
DODH293	31	32	0.28	28.6	9.5	23.3	484	1.83
DODH293	32	33	0.91	27.1	12.3	6.2	6	1.71
DODH293	33	34	0.03	15.7	1.1	5.22	-5	0.45
DODH293	34	35	0.01	2.4	0.4	7.02	-5	0.09
DODH293	35	36	0.02	1.4	0.3	9.38	-5	0.09
DODH293	36	37	-0.01	-0.5	-0.1	7.88	-5	0.02
DODH293	37	38	1.42	68.4	35.5	107	105	3.88
DODH293	38	39	0.21	11.3	5.8	22.4	53	0.68
DODH293	39	40	0.13	12.7	6.4	16.6	66	0.64
DODH293	40	41	0.03	1.5	0.5	9.56	12	0.12
DODH293	41	42	0.03	1.1	0.4	9.97	-5	0.09
DODH293	42	43	-0.01	-0.5	-0.1	2.68	-5	0.01
DODH293	43	44	0.12	8.5	3.9	4.05	-5	0.38
DODH293	44	45	0.02	4.6	1.5	2.63	-5	0.15
DODH293	45	46	1.38	31.1	14.9	4.02	-5	2.29
DODH293	46	47	0.05	10.4	2.5	3.95	-5	0.34
DODH293	47	48	0.04	4.6	2.1	4.1	-5	0.18
DODH293	48	49	-0.01	1.5	0.6	2.9	-5	0.05
DODH293	49	50	-0.01	2.4	-0.1	-0.05	-5	0.06

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH298	0	1	1.83	91.2	57.2	19.6	142	4.82
DODH298	1	2	1.89	168	113	18	21	7.05
DODH298	2	3	0.88	124	44.4	31.2	12	4.44
DODH298	3	4	5.01	111	135	20.9	26	8.94
DODH298	4	5	0.51	83.5	19.5	19.3	122	2.98
DODH298	5	6	4.25	114	183	20.9	25	8.62
DODH298	6	7	4.76	51.5	393	57.9	435	9.90
DODH298	7	8	2.02	28.9	44.5	18.9	46	3.21
DODH298	8	9	1.32	41.4	160	18.7	36	3.71
DODH298	9	10	1.79	33.1	71.5	14.9	49	3.29
DODH298	10	11	0.82	65.2	23.1	9.98	963	4.04
DODH298	11	12	0.11	23.4	4.4	4.8	12	0.76
DODH298	12	13	0.2	50.2	14.1	5.22	6	1.59
DODH298	13	14	0.09	4.7	2.9	6.05	7	0.26
DODH298	14	15	2.87	320	104	44.1	4360	18.04
DODH298	15	16	1.75	71.1	103	25.4	22	4.44
DODH298	16	17	0.08	21.8	15.2	6.27	52	0.84
DODH298	17	18	0.2	12.9	7.2	7.56	335	1.08
DODH298	18	19	0.43	64.6	38	16.8	59	2.48
DODH298	19	20	0.17	12.9	9.1	18.8	244	0.97
DODH298	20	21	0.29	14.3	11.9	16.4	816	1.96
DODH298	21	22	0.03	7.3	1.7	7.1	12	0.26
DODH298	22	23	0.81	41	30.6	5.43	7	2.10
DODH298	23	24	0.07	10.2	3.3	4.54	5	0.37
DODH298	24	25	0.11	4.4	2.6	5.72	-5	0.26
DODH298	25	26	0.08	17.6	4.2	32.5	6	0.66
DODH298	26	27	2.59	94.9	91.8	39.8	33	5.84
DODH298	27	28	0.05	5	2.8	14.6	6	0.25
DODH298	28	29	0.05	3.6	2.8	29.2	183	0.51
DODH298	29	30	-0.01	-0.5	0.3	5.61	7	0.03
DODH298	30	31	0.02	-0.5	1	8.86	7	0.06
DODH298	31	32	-0.01	0.8	0.8	9.59	7	0.07
DODH298	32	33	0.02	2.3	0.9	5.58	-5	0.10
DODH298	33	34	-0.01	-0.5	0.3	4.35	-5	0.02
DODH298	34	35	0.01	1.1	0.6	8.77	69	0.17
DODH298	35	36	-0.01	-0.5	0.4	11	12	0.05
DODH298	36	37	0.02	1.5	0.6	14.4	57	0.19
DODH298	37	38	-0.01	1	0.8	5.26	-5	0.05
DODH298	38	39	-0.01	10.5	0.7	3.51	-5	0.28
DODH298	39	40	-0.01	3.8	0.3	2.66	-5	0.11
DODH298	40	41	-0.01	13	0.6	3.27	-5	0.34
DODH298	41	42	0.01	5.4	0.3	2.47	-5	0.15
DODH298	42	43	0.03	6.9	0.5	2.46	-5	0.21
DODH298	43	44	-0.01	2.6	0.3	2.23	-5	0.07
DODH298	44	45	-0.01	-0.5	0.4	2.13	-5	0.01
DODH298	45	46	-0.01	0.9	0.1	2.61	-5	0.03
DODH298	46	47	-0.01	-0.5	0.3	3.46	-5	0.01
DODH298	47	48	-0.01	-0.5	0.2	3.47	-5	0.01
DODH298	48	49	-0.01	-0.5	0.3	3.32	-5	0.01
DODH298	49	50	-0.01	-0.5	0.3	2.38	-5	0.01
DODH298	50	50.5	-0.01	-0.5	0.2	2.65	-5	0.01

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH304	0	1	0.24	7.6	3.6	10.1	12	0.51
DODH304	1	2	0.11	26.2	10.4	8.52	11	0.89
DODH304	2	3	0.04	23	8.3	21	14	0.76
DODH304	3	4	0.92	48	48.2	26.5	6	2.58
DODH304	4	5	0.86	410	213	84.2	-5	13.02
DODH304	5	6	0.13	54.8	29.7	58.4	-5	1.91
DODH304	6	7	0.13	52.7	11.6	81.2	-5	1.78
DODH304	7	8	0.8	410	126	253	21	12.83
DODH304	8	9	2.09	154	244	190	51	8.49
DODH304	9	10	0.04	65.3	5.2	30	11	1.82
DODH304	10	11	0.08	83.3	33.2	18.4	9	2.49
DODH304	11	12	0.07	17.3	4.9	12.2	6	0.59
DODH304	12	13	0.06	56.4	4	18.7	7	1.57
DODH304	13	14	7.32	153	1460	179	88	23.17
DODH304	14	15	0.72	58.9	615	62.2	40	7.22
DODH304	15	16	7.41	93.2	772	92.5	57	16.10
DODH304	16	17	0.5	113	273	20.4	6	5.52
DODH304	17	18	0.33	81.5	55.9	18.8	6	2.87
DODH304	18	19	0.95	111	50.6	9.84	-5	4.15
DODH304	19	20	0.06	64.2	7.4	4.42	-5	1.74
DODH304	20	21	0.06	61.2	19	8.03	-5	1.76
DODH304	21	22	0.06	100	28.3	10.3	-5	2.81
DODH304	22	23	0.11	109	31.9	9.73	-5	3.11
DODH304	23	24	0.06	127	4	18.9	-5	3.32
DODH304	24	25	0.11	74.7	14.8	4.29	-5	2.11
DODH304	25	26	0.02	87.5	18.5	4.52	-5	2.37
DODH304	26	27	0.02	97.3	17.5	4.23	-5	2.60
DODH304	27	28	0.03	45.6	15.2	3.65	-5	1.30
DODH304	28	29	-0.01	45.9	0.4	2.39	-5	1.16
DODH304	29	30	-0.01	7	0.4	2.29	-5	0.19
DODH304	30	31	-0.01	-0.5	0.3	2.23	-5	0.01
DODH304	31	32	-0.01	-0.5	0.5	2.07	-5	0.01
DODH304	32	33	-0.01	-0.5	0.2	3.81	-5	0.01
DODH304	33	34	-0.01	1.8	0.3	18.3	-5	0.10
DODH304	34	35	0.02	3.6	0.5	13.1	-5	0.15
DODH304	35	36	0.02	1	0.4	3.03	-5	0.06
DODH304	36	37	0.01	1.7	0.3	6.03	-5	0.07
DODH304	37	38	-0.01	1	0.8	10.2	-5	0.06
DODH304	38	39	-0.01	2.2	0.5	4.66	-5	0.07
DODH304	39	40	-0.01	-0.5	0.2	6.04	-5	0.02
DODH304	40	41	-0.01	-0.5	0.2	4.29	-5	0.01
DODH304	41	42	-0.01	-0.5	0.1	3.13	-5	0.01
DODH304	42	43	-0.01	-0.5	0.1	3.27	-5	0.01
DODH304	43	44	-0.01	-0.5	0.1	3.82	-5	0.01
DODH304	44	45	-0.01	-0.5	0.1	4.05	-5	0.01
DODH304	45	46	-0.01	-0.5	0.1	4.18	-5	0.01
DODH304	46	47	-0.01	-0.5	-0.1	3.09	-5	0.01
DODH304	47	48	-0.01	0.8	0.2	2.54	-5	0.03
DODH304	48	49	-0.01	2.1	0.4	2.58	-5	0.06
DODH304	49	50	-0.01	1.5	0.6	3.51	-5	0.05