



MARKET RELEASE

16th JANUARY 2012

ROCKLANDS COPPER PROJECT (CDU 100%)
WILGAR UPDATE

RESULTS CONTINUE TO EXTEND FOOTPRINT OF MINERALISATION

Diamond Drill Hole DODH308 intersects;

21m @ 4.58g/t AuEq

(from 1-22m)

Diamond Drill Hole DODH307 intersects;

20m @ 3.29g/t AuEq

(from 1-21m)

Diamond Drill Hole DODH322 intersects;

14m @ 3.33g/t AuEq

(from 0-14m)

Diamond Drill Hole DODH326 intersects;

9m @ 2.17g/t AuEq

(from 0-9m)

Diamond Drill Hole DODH313 intersects;

26m @ 1.61g/t AuEq

(from 1-27m)

(* AuEq = gold equivalent; full details of above intersections at end of this report)



Figure 1: drill core from diamond drill hole DODH308, which assayed 7m @ 6.55g/t AuEq, from 1-8m

Results Continue to Extend Footprint of Mineralisation

Further results have been received from the Wilgar prospect.

These holes are part of a series of short holes, at varying distances across and along the interpreted strike direction of Wilgar mineralisation, that are currently being drilled to test below the extent of identified surface mineralisation.

Drilling is targeting potential repeats of the high-grade bonanza gold zone, whilst incrementally extending the mineralised footprint of the wider Wilgar polymetallic mineralised zone, which includes gold (Au), silver (Ag), tellurium (Te), molybdenum (Mo) and uranium (U).

Results from our shallow drilling programme received from this new and ongoing explorations programme, are confirming mineralisation extends from surface to up to 45m. The depth and extent of mineralisation is yet to be determined. The bedrock drilling programme will be expanded to determine extents of mineralisation.

Details of latest results;

DODH308		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	21m	@ 4.58	2.10	65.7	60.2	111	25.8	1m	- 22m

DODH307		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	20m	@ 3.29	1.80	44.8	32.9	30.5	11.8	1m	- 21m
<i>including</i>		5m	@ 6.84	4.54	66.7	70.8	22.8	12.0	1m	- 6m

DODH313		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	26m	@ 1.61	0.59	27.7	17.2	12.9	104	1m	- 27m

DODH322		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	14m	@ 3.33	0.65	43.9	23.6	35.0	902	0m	- 14m
<i>including</i>		6m	@ 5.46	1.13	57.5	33.9	55.1	1720	5m	- 11m

DODH326		Width	AuEq g/t	Au g/t	Ag g/t	Te ppm	U ppm	Mo ppm	From	To
Intersection	1	9m	@ 2.17	0.84	28.1	53.0	47.2	47.9	0m	- 9m

cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste

Numerous drill results are expected over the coming weeks and regular updates will be released from time to time. Highlighted intersections are detailed above, and all intersections are reported at the end of the report.

Significant results will be released as they come to hand.

Yours faithfully



Wayne McCrae
Chairman

Competent Person Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Andrew Day. Mr Day is employed by GeoDay Pty Ltd, an entity engaged, by CuDeco Ltd to provide independent consulting services. Mr Day has a BAppSc (Hons) in geology and he is a Member of the Australasian Institute of Mining and Metallurgy (Member #303598). Mr Day has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ores Reserves". Mr Day consents to the inclusion in this report of the information in the form and context in which it appears.

The information in this report insofar as it relates to Metallurgical Test Results and Recoveries, is based on information compiled by Mr Peter Hutchison, MRACI Ch Chem, MAusIMM, a full-time executive director of CuDeco Ltd. Mr Hutchison has sufficient experience in hydrometallurgical and metallurgical techniques which are relevant to the results under consideration and to the activity which he is undertaking to qualify as a Competent Person for the purposes of this report. Mr Hutchison consents to the inclusion in this report of the information, in the form and context in which it appears.

Wilgar style mineralisation

Polymetallic and rare element hosting prospect, which includes mineralisation of Au, Mo, Ag, Te, ±U. The high-grade gold, silver and tellurium may be present as tellurides and mineralisation may be related to an IRGS (Intrusion-Related Gold System).

Notes on Assay Results

All analyses are carried out at internationally recognised, independent, assay laboratories. Quality Assurance (QA) for the analyses is provided by continual analysis of known standards, blanks and duplicate samples as well as the internal QA procedures of the respective independent laboratories.

Wilgar drill intersections reported have been calculated on the basis of a gold cut-off grade of 0.4g/t AuEq with 3m allowance for internal waste.

Reported intersections are down-hole widths.

Au = Gold
Ag = Silver
Te = Tellurium
Mo = Molybdenum
Pb = Lead
Cu = Copper
Co = Cobalt
U = Uranium
Se = Selenium
Zn = Zinc

Gold (Au) Equivalent Calculation

The formula is based on metal prices of:

Gold \$1200.00 USD/ounce

Silver \$30.00 USD/ounce

Tellurium \$300.00 USD/kg

U₃O₈ \$45.00 USD/lb

Molybdenum \$25.00 USD/lb

AuEq = Au(ppm) + Ag(ppm) x 0.025 + Te(ppm) x 0.007776 + Mo(ppm) x 0.001429 + U(ppm) x 0.003032

In the absence of metallurgical test work for this new style of mineralisation, a recovery of 100% has been used in the Gold Equivalent Calculation. AuEq results are calculated to 2 decimal places and reported in mineralised intercepts to 3 significant figures. Uranium results are converted to U₃O₈ for calculation purposes; Uranium (ppm) results are multiplied by a conversion factor of 1.1792 to account for the oxide form of the uranium compound.

The Company's opinion is that all of the elements included in the gold equivalent calculation have a reasonable potential to be recovered.

Hole Location Table:








Hole ID	Easting	Northing	RL (m)	Azi (°)	Dip (°)	Hole Depth (m)
DODH307	432281.3	7715679.0	237.3	346	-60	77.4
DODH308	432281.4	7715678.7	237.3	350	-70	38.6
DODH313	432293.4	7715675.9	237.0	000	-90	38.5
DODH322	432294.2	7715637.9	232.7	000	-90	47.5
DODH326	432294.5	7715645.4	233.2	000	-90	40.0

Datum: AGD66 Project: UTM54 surveyed with Differential GPS (1 decimal place, 10cm accuracy) and/or handheld GPS (no decimal places, 4m accuracy).

Disclaimer and Forward-looking Statements

This report contains forward-looking statements that are subject to risk factors associated with resources businesses. It is believed that the expectations reflected in these statements are reasonable, but they may be affected by a variety of variables and changes in underlying assumptions which could cause actual results or trends to differ materially, including, but not limited to: price fluctuations, actual demand, currency fluctuations, drilling and production results, reserve estimates, loss of market, industry competition, environmental risks, physical risks, legislative, fiscal and regulatory developments, economic and financial market conditions in various countries and regions, political risks, project delays or advancements, approvals and cost estimates.

Colour Ranges for Gold Equivalent (AuEq) values, used in the following Assay Results Tables;

AuEq	From	To
	0	<0.5
	0.5	<1
	1	<2
	2	<5
	5	<10
	10	<15
	15+	

Note: 1ppm = 1g/t

Assay Results Legend

- "nn"	Negatives values indicated result below lower detection limit ("nn"= lower detection limit)
LNR	Lab Not Receive (ie, sample not received at Assay Lab)
I/S	Insufficient Sample available to obtain result
DIP	sample Destroyed In Preparation
X	result below detection
-	sample not assayed

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH307	1	2	3.18	50.7	59.5	23.9	12	5.00
DODH307	2	3	0.81	94.5	14.7	18	10	3.36
DODH307	3	4	0.31	54.6	28.1	21.9	15	1.98
DODH307	4	5	6.29	88.1	86.8	17	14	9.24
DODH307	5	6	12.1	45.5	165	33	9	14.63
DODH307	6	7	0.88	39.3	10.2	26.6	9	2.04
DODH307	7	8	0.21	31.1	4.2	12.7	11	1.07
DODH307	8	9	0.08	33.4	1.5	11.2	7	0.97
DODH307	9	10	1.05	65.5	37.2	30.9	12	3.09
DODH307	10	11	0.09	38	2	10.3	-5	1.09
DODH307	11	12	1.85	77.4	64.6	22.4	12	4.37
DODH307	12	13	4.21	129	75.9	26.6	14	8.13
DODH307	13	14	0.49	32.8	15.2	16.6	59	1.56
DODH307	14	15	0.2	12	5.6	6.41	6	0.57
DODH307	15	16	3.96	68.5	79.2	21.2	17	6.38
DODH307	16	17	0.03	19	1.6	10.1	10	0.56
DODH307	17	18	0.01	-0.5	0.5	11.8	7	0.06
DODH307	18	19	0.04	10.5	1.2	21.1	12	0.39
DODH307	19	20	0.07	2.8	2.1	29.4	-5	0.25
DODH307	20	21	0.14	4.1	1.9	238	-5	0.98
DODH307	21	22	-0.01	-0.5	0.1	4.56	-5	0.01
DODH307	22	23	-0.01	-0.5	0.1	6.12	-5	0.02
DODH307	23	24	-0.01	-0.5	0.1	4.67	-5	0.01
DODH307	24	25	-0.01	-0.5	0.2	4.29	-5	0.01
DODH307	25	26	-0.01	-0.5	0.1	4.29	-5	0.01
DODH307	26	27	-0.01	-0.5	0.1	3.71	-5	0.01
DODH307	27	28	-0.01	-0.5	0.2	4.97	-5	0.02
DODH307	28	29	0.01	-0.5	0.2	7.97	-5	0.04
DODH307	29	30	-0.01	-0.5	-0.1	3.73	-5	0.01
DODH307	30	31	-0.01	0.8	-0.1	5.2	-5	0.04
DODH307	31	32	-0.01	-0.5	-0.1	4.5	-5	0.01
DODH307	32	33	-0.01	-0.5	-0.1	3.78	-5	0.01
DODH307	33	34	-0.01	-0.5	-0.1	3.43	-5	0.01
DODH307	34	35	-0.01	-0.5	0.3	6.25	-5	0.02
DODH307	35	36	-0.01	-0.5	-0.1	2.89	-5	0.01
DODH307	36	37	-0.01	-0.5	0.1	4.04	-5	0.01
DODH307	37	38	-0.01	-0.5	-0.1	3.88	-5	0.01
DODH307	38	39	-0.01	-0.5	0.2	4.14	-5	0.01
DODH307	39	40	-0.01	-0.5	0.1	4.02	-5	0.01
DODH307	40	41	-0.01	-0.5	0.1	5.87	-5	0.02
DODH307	41	42	-0.01	-0.5	-0.1	-0.05	-5	0.00
DODH307	42	43	-0.01	-0.5	0.1	4.14	-5	0.01
DODH307	43	44	-0.01	-0.5	-0.1	4.37	-5	0.01
DODH307	44	45	-0.01	-0.5	-0.1	4.83	-5	0.01
DODH307	45	46	-0.01	-0.5	-0.1	6.38	-5	0.02
DODH307	46	47	-0.01	-0.5	0.1	4.98	-5	0.02
DODH307	47	48	-0.01	-0.5	0.2	4.49	-5	0.02
DODH307	48	49	-0.01	-0.5	-0.1	4.27	-5	0.01
DODH307	49	50	-0.01	-0.5	0.1	4.8	-5	0.02

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH308	1	2	2.59	36.6	43.1	15.9	5	3.90
DODH308	2	3	14	63.9	156	34.6	22	16.95
DODH308	3	4	10.1	76.5	144	34	21	13.27
DODH308	4	5	1.24	49.3	24.9	18.3	8	2.73
DODH308	5	6	1.37	37.6	28.2	40.5	23	2.68
DODH308	6	7	0.33	48.6	11.6	48.6	6	1.79
DODH308	7	8	2.62	58.2	39.3	12.4	54	4.50
DODH308	8	9	0.89	53	17.7	23.2	7	2.43
DODH308	9	10	0.61	42.6	26	8.7	9	1.92
DODH308	10	11	1.56	83	50.9	21.4	9	4.11
DODH308	11	12	1.07	93.2	72.3	31.3	24	4.09
DODH308	12	13	2.62	126	113	28	22	6.77
DODH308	13	14	1.44	118	236	36.9	74	6.44
DODH308	14	15	1.29	200	137	45.2	50	7.56
DODH308	15	16	0.67	116	86.2	40.8	41	4.42
DODH308	16	17	0.29	61	20.5	26.6	8	2.07
DODH308	17	18	0.38	34.9	23.5	26.4	13	1.53
DODH308	18	19	0.13	25.6	11.4	23	43	0.99
DODH308	19	20	0.1	7.4	4.4	51	86	0.60
DODH308	20	21	0.12	21.8	4.4	1430	-5	5.04
DODH308	21	22	0.7	26.3	14.3	328	16	2.49
DODH308	22	23	0.03	0.8	0.8	4.67	-5	0.07
DODH308	23	24	0.02	1.3	0.8	22.8	-5	0.13
DODH308	24	25	-0.01	-0.5	0.4	18.5	-5	0.06
DODH308	25	26	-0.01	-0.5	0.3	5.51	-5	0.02
DODH308	26	27	-0.01	-0.5	0.2	4.51	-5	0.02
DODH308	27	28	-0.01	-0.5	0.2	5.51	-5	0.02
DODH308	28	29	-0.01	-0.5	0.3	4.53	-5	0.02
DODH308	29	30	-0.01	-0.5	0.4	5.06	-5	0.02
DODH308	30	31	-0.01	-0.5	0.3	3.19	-5	0.01
DODH308	31	32	-0.01	-0.5	0.1	4.97	-5	0.02
DODH308	32	33	-0.01	-0.5	0.3	4.45	-5	0.02
DODH308	33	34	0.01	-0.5	0.1	5.79	-5	0.03
DODH308	34	35	-0.01	-0.5	0.3	4.17	-5	0.01
DODH308	35	36	0.01	-0.5	0.2	4.72	-5	0.03
DODH308	36	37	0.01	-0.5	0.2	3.67	-5	0.02
DODH308	37	38	0.01	-0.5	0.2	3.54	-5	0.02
DODH308	38	38.6	0.01	-0.5	-0.1	7.21	-5	0.03

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH313	1	2	1.67	34.3	51.1	18.2	44	3.04
DODH313	2	3	2.15	51.3	59.7	22.4	17	3.99
DODH313	3	4	0.38	55.3	13.5	18.1	6	1.93
DODH313	4	5	1.51	67.7	52.9	29.7	15	3.73
DODH313	5	6	1.92	63.5	32.5	11.4	9	3.81
DODH313	6	7	2.42	69.4	66.9	37	14	4.81
DODH313	7	8	0.51	40.9	18.5	23.7	7	1.76
DODH313	8	9	0.23	36.4	4.9	9.46	19	1.23
DODH313	9	10	0.12	11.9	3.5	11	27	0.52
DODH313	10	11	0.5	61	23.4	12.7	357	2.76
DODH313	11	12	0.36	44.7	10	23.5	1060	3.14
DODH313	12	13	0.38	37.5	15.5	14.9	27	1.52
DODH313	13	14	0.26	8.2	2.3	3.83	7	0.50
DODH313	14	15	-0.01	7.5	0.4	8.13	6	0.22
DODH313	15	16	0.13	20.3	2.1	10.1	21	0.71
DODH313	16	17	0.03	10.2	1.9	4.26	7	0.32
DODH313	17	18	0.11	10.1	8.1	5.83	10	0.46
DODH313	18	19	-0.01	17.8	0.5	3.46	-5	0.46
DODH313	19	20	0.99	23.7	23.8	5.86	10	1.80
DODH313	20	21	0.3	4.8	5.3	4.29	-5	0.47
DODH313	21	22	0.29	2.3	12.2	3.89	13	0.47
DODH313	22	23	0.27	2	9.2	2.99	23	0.43
DODH313	23	24	0.11	3.6	2.3	5.08	-5	0.23
DODH313	24	25	0.7	34.1	23.7	30.8	355	2.34
DODH313	25	26	0.04	0.5	2.4	4.63	237	0.42
DODH313	26	27	0.03	0	1.8	9.23	413	0.66
DODH313	27	28	0.02	-0.5	0.7	4.22	41	0.10
DODH313	28	29	0.02	0.9	2.8	8.51	-5	0.09
DODH313	29	30	-0.01	-0.5	-0.1	3.28	-5	0.01
DODH313	30	31	-0.01	-0.5	-0.1	2.54	-5	0.01
DODH313	31	32	-0.01	-0.5	-0.1	2.59	-5	0.01
DODH313	32	33	-0.01	-0.5	0.5	4.62	-5	0.02
DODH313	33	34	-0.01	-0.5	0.2	4.01	-5	0.01
DODH313	34	35	-0.01	-0.5	0.3	2.99	-5	0.01
DODH313	35	36	-0.01	3.3	1.3	2.59	-5	0.10
DODH313	36	37	-0.01	7.3	0.7	2.61	-5	0.20
DODH313	37	38	-0.01	4.9	0.3	2.29	-5	0.13
DODH313	38	38.5	-0.01	2.2	0.1	2.05	-5	0.06

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH322	0	1	0.16	16.1	2.1	8.13	8	0.61
DODH322	1	2	0.04	58.1	2	12.8	18	1.57
DODH322	2	3	0.03	45.2	1.2	17	29	1.26
DODH322	3	4	0.52	52.9	18.2	26.1	725	3.10
DODH322	4	5	1.11	61.4	81.5	49	478	4.11
DODH322	5	6	2.14	104	70.9	43.9	1970	8.24
DODH322	6	7	1.29	77.4	58.2	164	1040	5.66
DODH322	7	8	0.09	29.8	3.4	29.1	182	1.21
DODH322	8	9	1.16	50.9	32.5	37.2	2240	6.00
DODH322	9	10	0.86	39.3	18.2	25.9	2730	5.96
DODH322	10	11	1.23	43.4	20	30.5	2170	5.66
DODH322	11	12	0.26	23.8	8.2	15.2	241	1.31
DODH322	12	13	0.07	2	1.8	18.3	249	0.55
DODH322	13	14	0.18	10.2	12.6	12.9	554	1.36
DODH322	14	15	0.01	-0.5	0.4	2.47	9	0.03
DODH322	15	16	-0.01	2.2	0.2	3.21	-5	0.07
DODH322	16	17	0.02	-0.5	0.2	1.87	-5	0.03
DODH322	17	18	-0.01	-0.5	0.2	1.81	10	0.02
DODH322	18	19	-0.01	-0.5	0.1	4.4	-5	0.01
DODH322	19	20	-0.01	-0.5	0.3	3.9	-5	0.01
DODH322	20	21	0.01	-0.5	0.2	4.09	-5	0.02
DODH322	21	22	-0.01	-0.5	0.2	1.93	-5	0.01
DODH322	22	23	-0.01	-0.5	0.2	1.58	-5	0.01
DODH322	23	24	0.02	-0.5	0.1	1.81	-5	0.03
DODH322	24	25	-0.01	-0.5	0.2	1.52	-5	0.01
DODH322	25	26	0.02	-0.5	0.2	1.62	-5	0.03
DODH322	26	27	0.01	-0.5	0.2	0.97	-5	0.01
DODH322	27	28	-0.01	-0.5	0.1	1.12	-5	0.00
DODH322	28	29	-0.01	-0.5	0.2	0.95	-5	0.00
DODH322	29	30	0.01	-0.5	0.2	0.82	-5	0.01
DODH322	30	31	-0.01	-0.5	0.2	1.04	-5	0.00
DODH322	31	32	-0.01	-0.5	0.2	0.71	-5	0.00
DODH322	32	33	-0.01	-0.5	0.1	1.32	-5	0.00
DODH322	33	34	0.01	-0.5	0.2	1.21	-5	0.02
DODH322	34	35	-0.01	-0.5	-0.1	0.77	-5	0.00
DODH322	35	36	-0.01	-0.5	0.1	0.85	-5	0.00
DODH322	36	37	-0.01	-0.5	0.2	0.92	-5	0.00
DODH322	37	38	0.01	-0.5	0.1	1.83	-5	0.02
DODH322	38	39	-0.01	-0.5	-0.1	0.98	-5	0.00
DODH322	39	40	0.01	-0.5	0.2	0.89	-5	0.01
DODH322	40	41	0.01	-0.5	0.2	1	-5	0.01
DODH322	41	42	-0.01	-0.5	-0.1	0.84	-5	0.00
DODH322	42	43	-0.01	-0.5	0.2	1.4	-5	0.01
DODH322	43	44	-0.01	-0.5	0.3	0.82	-5	0.00
DODH322	44	45	-0.01	-0.5	0.2	0.92	-5	0.00
DODH322	45	46	-0.01	-0.5	0.2	0.98	-5	0.00
DODH322	46	47	-0.01	-0.5	0.2	0.77	-5	0.00
DODH322	47	47.5	-0.01	-0.5	0.2	0.84	-5	0.00

Hole ID	Depth Fm	Depth To	Au (ppm)	Ag (ppm)	Te (ppm)	U (ppm)	Mo (ppm)	AuEq (g/t)
DODH326	0	1	6.03	56.2	390	212	65	11.20
DODH326	1	2	0.12	26.3	10.2	11.9	30	0.94
DODH326	2	3	0.59	52	50.6	37.5	39	2.45
DODH326	3	4	0.11	33.5	6.5	45	34	1.18
DODH326	4	5	0.14	25.6	8.1	28.4	61	1.02
DODH326	5	6	0.02	16.8	0.9	22.4	74	0.62
DODH326	6	7	0.02	9.5	1.1	30.2	54	0.43
DODH326	7	8	0.51	14.1	8.3	22.3	41	1.05
DODH326	8	9	0.04	18.7	0.9	15.4	33	0.61
DODH326	9	10	0.03	10	0.8	10.2	32	0.36
DODH326	10	11	0.03	7.2	0.8	14.4	27	0.30
DODH326	11	12	0.06	7.2	1.6	18	50	0.38
DODH326	12	13	0.05	1.4	0.7	9.79	41	0.18
DODH326	13	14	0.02	2.8	0.5	7.15	11	0.13
DODH326	14	15	0.03	2.8	0.4	7.25	17	0.15
DODH326	15	16	0.03	-0.5	0.3	2.85	14	0.06
DODH326	16	17	0.02	-0.5	0.2	2.66	7	0.04
DODH326	17	18	0.03	0.6	0.5	9.05	43	0.14
DODH326	18	19	0.03	0.6	0.5	6.09	16	0.09
DODH326	19	20	0.03	0.7	0.6	4.62	-5	0.07
DODH326	20	21	0.03	3.4	0.6	5.87	-5	0.14
DODH326	21	22	0.17	18.3	5.6	13	6	0.72
DODH326	22	23	0.02	-0.5	0.2	8.89	-5	0.05
DODH326	23	24	0.02	-0.5	0.3	8.74	-5	0.05
DODH326	24	25	0.02	-0.5	0.3	6.67	-5	0.04
DODH326	25	26	0.02	-0.5	0.3	1.24	-5	0.03
DODH326	26	27	0.02	-0.5	0.2	1.19	-5	0.03
DODH326	27	28	0.02	-0.5	0.3	1.7	-5	0.03
DODH326	28	29	0.02	-0.5	0.3	4.29	-5	0.04
DODH326	29	30	0.02	-0.5	0.1	1.31	-5	0.02
DODH326	30	31	0.02	-0.5	0.2	2.23	-5	0.03
DODH326	31	32	0.03	-0.5	0.1	2.39	-5	0.04
DODH326	32	33	0.02	-0.5	0.2	2.15	-5	0.03
DODH326	33	34	0.02	-0.5	0.2	2.51	-5	0.03
DODH326	34	35	0.02	-0.5	0.4	5.56	-5	0.04
DODH326	35	36	0.02	0.8	0.1	3.14	-5	0.05
DODH326	36	37	0.02	-0.5	0.3	3.34	-5	0.03
DODH326	37	38	0.02	-0.5	0.2	2.71	-5	0.03
DODH326	38	39	0.02	-0.5	0.2	2.79	-5	0.03
DODH326	39	40	0.02	-0.5	0.3	2.77	-5	0.03